

2025 年 5 月 永瀬ダム 自動濁度装置 測定結果一覧表

※濁度測定器は、ホルマジン標準液（FTU）を使用して校正しています。

自動濁度計設置場所

	1 日		2 日		3 日		4 日		5 日		6 日		7 日		8 日		9 日		10 日		11 日		12 日		13 日		14 日		15 日	
水深	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度
0.5	17.4	-0.1	17.5	-0.1	17.7	-0.1	17.9	-0.1	17.5	0.3	17.7	-0.1	17.8	-0.1	17.8	-0.1	18.0	-0.1	17.8	-0.1	17.9	-0.2	17.9	-0.1	17.9	-0.2	18.0	-0.1	18.3	-0.1
1	17.4	-0.1	17.5	-0.1	17.7	-0.1	17.9	-0.1	17.5	-0.1	17.7	-0.1	17.8	-0.1	17.8	-0.1	18.0	-0.1	17.8	-0.1	17.9	-0.2	17.9	-0.1	17.9	-0.2	18.0	-0.2	18.3	-0.2
2	17.4	-0.1	17.5	-0.1	17.7	-0.1	17.9	-0.1	17.5	-0.1	17.7	-0.1	17.8	-0.1	17.8	-0.1	18.0	-0.1	17.8	-0.1	17.9	-0.1	17.9	-0.1	18.0	-0.1	18.0	-0.1	18.3	-0.2
3	17.4	-0.1	17.5	-0.1	17.7	-0.1	17.9	-0.1	17.5	-0.1	17.7	-0.1	17.8	-0.1	17.8	-0.1	18.0	-0.1	17.8	-0.1	17.9	-0.1	17.9	-0.1	18.0	-0.2	18.0	-0.1	18.3	-0.1
4	17.4	-0.1	17.5	-0.1	17.7	-0.1	17.9	-0.1	17.5	-0.1	17.7	-0.1	17.8	-0.1	17.8	-0.1	18.0	-0.1	17.8	-0.1	17.9	-0.1	17.9	-0.1	18.0	-0.1	18.0	-0.1	18.3	-0.1
5	17.4	0.1	17.5	-0.1	17.7	-0.1	17.9	0.1	17.5	-0.1	17.7	-0.1	17.8	-0.1	17.8	-0.1	18.0	-0.1	17.8	-0.1	17.8	-0.1	17.5	-0.1	17.7	-0.1	18.0	-0.1	18.3	-0.1
6	17.0	0.3	17.3	0.3	17.5	0.3	17.8	0.3	17.3	0.1	17.5	-0.1	16.9	-0.1	17.7	-0.1	17.9	-0.1	17.5	-0.1	17.0	-0.1	16.6	-0.1	16.8	-0.1	17.4	-0.1	17.6	-0.1
7	16.4	0.3	16.2	0.3	16.8	0.3	16.7	0.3	16.4	0.3	16.6	0.3	15.8	-0.1	16.8	-0.1	16.7	-0.1	16.4	-0.1	16.1	0.3	15.9	-0.1	16.0	-0.1	16.5	0.1	16.7	-0.1
8	15.1	0.3	15.1	0.3	15.6	0.3	15.6	0.3	15.5	0.3	15.7	0.3	15.1	0.3	15.9	0.1	15.8	-0.1	15.7	-0.1	15.5	-0.1	15.4	-0.1	15.5	-0.1	15.9	-0.1	16.0	-0.1
9	14.3	0.8	14.4	0.3	14.7	0.5	14.9	0.3	14.9	0.5	15.1	0.3	14.8	0.3	15.3	0.1	15.2	0.3	15.2	-0.1	15.1	0.1	15.1	0.3	15.3	0.3	15.5	-0.1	15.6	0.1
10	13.8	0.3	13.6	0.5	14.1	0.3	14.4	0.5	14.5	0.5	14.8	0.3	14.5	0.3	15.0	0.3	14.9	0.3	14.9	0.1	14.9	0.1	14.9	0.3	15.1	0.3	15.2	0.3	15.4	0.3
12	12.7	0.8	12.7	0.8	13.3	0.8	13.7	0.8	14.1	0.8	14.4	0.5	14.1	0.3	14.6	0.3	14.6	0.3	14.6	0.3	14.6	0.3	14.6	0.1	14.7	0.3	14.8	0.3	15.0	0.3
14	11.7	0.3	11.6	0.3	12.4	0.8	12.7	0.8	13.3	0.8	13.5	0.8	12.8	0.8	13.9	0.5	13.7	0.5	14.0	0.5	14.3	0.3	14.1	0.3	14.2	0.3	14.3	0.3	14.3	0.3
16	10.4	0.3	10.4	0.3	11.1	0.3	11.5	0.8	11.6	0.8	11.9	0.8	11.2	0.8	12.0	0.8	12.3	0.8	12.4	0.8	12.5	0.3	12.2	0.5	12.2	0.3	12.4	0.3	12.4	0.3
18	9.3	0.3	9.6	0.3	9.9	0.5	10.4	0.3	10.4	0.5	10.8	0.3	10.1	0.3	10.7	0.8	10.8	0.5	10.9	0.3	10.8	0.3	10.7	0.3	10.3	0.3	10.6	0.3	10.6	0.3
20	8.2	0.3	8.2	0.1	8.6	0.1	9.0	0.3	9.2	0.3	9.3	0.3	8.7	0.1	9.5	0.3	9.3	0.3	9.3	0.3	9.3	0.3	9.0	0.3	8.8	0.3	9.0	0.3	9.0	0.3
25	7.0	0.1	7.0	0.3	7.1	0.3	7.5	0.1	7.3	0.1	7.4	0.1	7.0	0.1	7.5	0.3	7.4	0.1	7.5	0.1	7.3	-0.1	7.2	-0.1	7.3	-0.1	7.3	0.1	7.5	0.1
30	6.8	0.3	6.8	0.3	6.8	0.3	7.1	-0.1	6.9	0.3	6.9	-0.1	6.7	0.3	7.0	0.3	6.8	-0.1	7.0	0.1	7.1	0.1	6.9	-0.1	7.0	0.3	7.1	0.3	7.0	-0.1
35	6.7	1.6	6.7	1.3	6.7	0.3	6.8	0.5	6.8	0.3	6.8	0.3	6.7	0.8	6.8	1.6	6.8	1.3	6.8	1.2	6.9	1.6	6.8	1.3	6.9	2.7	6.8	1.3	6.8	2.2
40	6.8	8.3	6.8	7.5	6.8	6.4	6.8	6.0	6.8	5.1	6.8	6.1	6.8	4.5	6.8	5.4	6.8	6.0	6.8	5.6	6.8	6.1	6.8	5.4	6.9	6.0	6.8	6.6	6.9	5.4

	16 日		17 日		18 日		19 日		20 日		21 日		22 日		23 日		24 日		25 日		26 日		27 日		28 日		29 日		30 日		31 日	
水深	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度
0.5	18.6	-0.2	18.8	-0.1	16.1	36.7	16.2	18.3	19.0	6.8	20.0	5.4	16.7	11.6	16.9	5.8	17.8	3.5	16.6	8.5	16.6	20.4	17.0	11.8	17.9	9.9	19.5	7.8	19.1	7.0	17.9	4.9
1	18.6	-0.2	18.8	-0.1	16.2	38.1	16.4	20.0	19.0	6.6	20.1	5.8	16.8	14.1	17.0	4.9	17.8	3.5	16.6	7.6	16.6	18.9	17.0	12.9	17.9	10.2	19.5	8.5	19.1	6.8	18.0	5.1
2	18.6	-0.1	18.8	-0.1	16.2	42.7	16.9	33.8	19.0	7.6	20.4	7.0	17.1	18.9	17.4	7.3	18.1	4.5	16.7	6.8	16.7	23.3	17.0	13.7	18.1	11.6	19.5	9.5	19.1	7.3	18.1	5.8
3	18.6	-0.1	18.8	-0.1	16.2	32.9	16.9	48.2	19.1	32.9	20.3	20.4	17.0	15.5	17.5	8.3	18.4	6.8	16.6	5.8	16.7	23.5	17.0	19.8	18.1	20.0	19.5	10.6	19.1	10.6	18.1	13.1
4	18.6	-0.1	18.5	-0.1	16.1	42.3	16.5	48.8	18.7	43.6	19.7	37.1	16.7	23.1	17.1	10.7	17.6	7.6	16.6	8.0	16.6	24.2	16.8	23.7	17.7	17.7	19.3	16.7	18.5	15.4	17.4	10.4
5	18.5	-0.1	17.7	-0.1	16.1	51.7	16.2	51.3	17.3	45.4	17.7	38.1	16.3	24.8	16.7	12.1	16.9	8.9	16.6	11.2	16.5	23.9	16.4	23.5	16.8	19.1	18.0	15.2	17.0	13.9	16.4	10.2
6	17.7	-0.1	16.6	-0.1	16.1	53.6	16.0	54.6	16.5	45.9	16.7	36.9	16.1	25.6	16.4	13.3	16.6	8.3	16.5	13.5	16.5	24.8	16.2	23.7	16.2	14.8	16.7	15.2	16.1	12.9	15.8	9.3
7	16.7	-0.1	16.1	-0.1	16.0	46.9	15.9	58.4	16.1	47.5	16.2	40.5	15.9	27.5	16.3	13.3	16.3	8.9	16.4	11.6	16.4	25.6	16.1	24.8	15.8	15.4	16.0	14.1	15.7	12.3	15.6	9.5
8	16.1	-0.1	15.7	-0.1	16.0	56.5	15.9	58.0	15.9	47.5	15.9	40.3	15.8	27.1	16.2	14.5	16.2	9.5	16.4	8.7	16.3	28.7	16.0	23.7	15.6	17.0	15.7	13.1	15.6	12.1	15.4	9.7
9	15.6	-0.1	15.2	0.1	15.8	51.7	15.8	56.2	15.8	48.2	15.8	40.6	15.8	25.2	16.2	16.9	16.1	10.2	16.3	8.7	16.3	26.6	15.8	24.8	15.5	16.2	15.6	13.3	15.5	12.4	15.3	10.7
10	15.3	0.3	14.9	0.3	15.7	53.8	15.7	55.7	15.7	48.6	15.7	40.3	15.7	25.8	16.1	18.6	16.0	10.6	16.3	8.0	16.1	24.6	15.7	24.8	15.4	17.2	15.5	12.6	15.4	11.4	15.3	10.4
12	14.9	0.3	14.5	0.3	15.6	54.0	15.6	51.7	15.7	47.5	15.6	41.1	15.5	30.6	15.8	17.7	15.9	13.1	16.2	16.0	15.9	26.4	15.6	21.2	15.3	15.0	15.4	12.6	15.3	12.1	15.1	10.4
14	14.3	0.3	13.1	0.1	15.4	58.4	15.4	56.5	15.5	46.9	15.5	36.9	15.4	29.4	15.6	18.1	15.6	15.8	16.1	18.9	15.8	33.3	15.4	22.0	15.1	13.1	15.2	15.2	15.2	11.0	15.0	10.4
16	12.5	0.3	10.9	0.3	14.7	13.1	15.1	37.7	15.4	39.8	15.4	32.5	15.1	28.5	15.3	20.1	15.4	17.0	15.8	8.7	15.7	32.7	15.3	19.6	15.0	15.2	15.1	13.3	15.0	12.6	15.0	12.3
18	10.5	0.3	9.1	0.3	13.0	3.0	13.8	5.6	14.1	7.5	14.0	7.6	14.1	9.2	14.0	5.6	13.1	5.4	14.8	7.0	15.6	14.3	14.9	15.8	14.9	14.1	14.8	13.1	14.8	13.1	14.8	11.2
20	9.0	0.3	7.9	-0.1	11.0	2.2	11.1	2.7	10.7	3.9	10.7	4.9	10.9	5.8	10.5	4.7	9.9	3.5	11.9	3.7	13.0	4.5	14.5	5.1	14.5	5.1	14.1	4.9	14.1	5.4	14.4	6.0
25	7.3	0.3	6.9	-0.1	7.9	1.3	7.8	1.6	7.6	1.8	7.4	2.4	7.7	2.9	7.6	2.9	7.3	2.2	7.7	2.0	7.7	2.9	8.0	2.2	8.0	2.4	8.0	2.2	7.9	2.2	8.0	2.2
30	7.0	0.3	6.8	-0.1	7.0	0.8	7.1	1.0	7.1	1.2	7.2	1.3	7.0	1.8	7.2	2.0	7.2	1.3	7.1	1.6	7.2	1.6	7.1	1.6	7.2	1.3	7.1	1.3	7.0	1.3	7.0	1.3
35	6.8	1.2	6.8	1.0	6.9	2.7	6.9	2.4	6.9	1.6	6.9	2.0	6.9	2.0	7.0	2.0	6.9	1.3	6.8	1.3	6.9	1.6	7.0	1.6	6.9	1.3	7.0	1.0	6.9	1.0	6.9	1.2
40	6.8	5.4	6.9	3.0	6.9	4.1	6.9	3.5	6.9	3.0	6.9	2.9	6.9	2.7	6.9	2.4	6.9	1.8	6.8	1.6	6.9	1.8	6.9	1.6	6.9	1.8	6.9					