

2026 年 6 月 鏡ダム 自動濁度装置 測定結果一覧表

※濁度測定器は、ホルマジン標準液（FTU）を使用して校正しています。

自動濁度計設置場所

	1 日		2 日		3 日		4 日		5 日		6 日		7 日		8 日		9 日		10 日		11 日		12 日		13 日		14 日		15 日	
水深	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度
0.5	1.8	17.8	2.4	22.9	10.4	19.5	10.0	18.6	8.5	19.4	7.1	19.1	5.8	18.0	4.4	17.9	3.5	17.7	3.0	17.9	3.4	19.2	2.9	20.0	2.8	21.3	2.8	21.7	2.3	21.1
1	1.9	17.5	2.8	21.8	11.3	19.5	10.8	18.6	10.4	18.2	8.3	18.5	5.3	17.5	4.4	17.8	3.6	17.6	3.0	17.6	3.0	19.2	3.1	20.0	3.6	20.5	3.4	20.9	3.4	19.9
2	2.3	15.6	2.7	20.3	21.6	18.0	10.2	18.6	11.6	17.7	8.4	17.4	5.3	17.4	4.3	17.5	3.5	17.1	3.3	17.1	3.0	18.0	2.7	18.3	3.4	18.8	3.8	19.1	3.7	18.5
3	1.9	14.8	4.2	19.7	25.1	17.8	14.9	18.1	13.9	17.3	7.1	17.1	5.4	16.9	4.0	17.1	3.5	16.8	3.1	16.6	2.9	17.3	2.7	17.7	2.6	17.9	3.3	18.4	2.9	17.9
4	1.8	14.5	3.5	19.1	25.5	17.8	17.2	17.8	13.3	17.2	6.9	17.0	5.4	16.8	3.7	16.9	3.4	16.6	3.0	16.4	2.8	17.0	2.7	17.3	2.6	17.4	2.9	17.8	2.4	17.4
5	2.0	14.4	3.1	18.6	26.3	17.8	21.8	17.7	12.7	17.1	6.7	17.0	5.3	16.8	3.7	16.7	3.3	16.5	2.9	16.4	2.9	16.7	2.7	16.8	2.7	17.3	2.9	17.6	2.4	17.3
6	1.8	14.3	2.7	18.3	27.1	17.8	25.1	17.5	12.6	17.1	6.5	16.9	4.6	16.7	3.5	16.6	3.2	16.5	2.9	16.3	2.8	16.5	2.5	16.7	2.7	16.9	2.5	17.1	2.3	17.1
7	2.0	14.1	2.8	18.1	28.7	17.7	26.1	17.5	11.7	17.0	6.3	16.8	4.5	16.6	3.2	16.6	3.3	16.5	3.2	16.3	2.8	16.4	2.6	16.5	2.4	16.7	2.4	16.7	2.3	16.8
8	2.2	14.0	2.5	17.8	26.9	17.6	26.2	17.4	9.4	17.0	6.4	16.8	4.3	16.6	3.2	16.6	3.3	16.5	3.2	16.3	3.0	16.4	2.8	16.4	2.5	16.4	2.4	16.6	2.1	16.7
9	2.4	13.9	2.5	17.6	29.1	17.4	24.1	17.2	8.4	17.0	6.1	16.8	4.4	16.6	3.2	16.5	3.4	16.4	3.1	16.3	2.9	16.3	2.7	16.3	2.5	16.2	2.3	16.3	2.1	16.5
10	2.8	13.9	2.9	17.3	28.6	17.3	23.3	17.2	8.2	16.9	6.2	16.8	4.1	16.6	3.1	16.5	3.7	16.3	3.3	16.2	3.1	16.1	2.8	16.1	2.7	16.1	2.3	16.2	2.2	16.4
11	2.8	13.8	2.6	17.2	28.8	17.2	22.4	17.0	8.2	16.9	6.0	16.8	4.6	16.6	3.1	16.5	3.4	16.3	3.6	16.2	3.2	16.0	2.7	16.0	2.7	16.0	2.3	16.1	2.3	16.2
12	2.9	13.7	3.2	16.9	28.3	17.1	22.0	16.9	8.8	16.8	6.0	16.7	4.4	16.6	2.9	16.5	3.7	16.3	3.8	16.2	3.2	16.0	2.9	16.0	2.6	16.0	2.3	16.0	2.3	16.1
13	2.8	13.6	2.5	15.3	28.8	17.1	21.7	16.9	8.0	16.8	6.6	16.7	4.0	16.5	3.0	16.5	3.6	16.3	3.8	16.1	2.9	16.0	2.8	15.9	2.6	15.9	2.6	15.9	2.2	16.0
14	2.2	13.3	2.4	13.3	28.8	17.0	21.7	16.8	11.2	16.7	7.0	16.6	4.5	16.4	3.0	16.5	4.0	16.2	3.9	16.0	3.1	16.0	3.1	15.8	2.6	15.9	2.6	15.9	2.5	15.9
15	2.1	13.1	2.8	12.6	29.1	17.0	21.5	16.8	11.6	16.7	6.9	16.6	4.5	16.4	3.0	16.4	3.9	16.2	4.0	16.0	3.3	15.9	3.1	15.8	2.7	15.8	2.7	15.8	2.5	15.8
16	2.1	12.9	2.9	11.8	29.6	17.0	20.0	16.7	11.1	16.7	6.9	16.6	4.3	16.3	3.0	16.4	4.1	16.2	3.9	16.0	3.1	15.8	3.0	15.8	3.0	15.8	2.7	15.7	2.7	15.7
17	2.2	12.4	3.1	11.1	28.9	17.0	20.2	16.7	15.5	16.7	7.8	16.6	5.2	16.3	3.5	16.4	4.0	16.2	4.0	16.0	3.5	15.7	3.2	15.7	2.8	15.7	2.8	15.7	2.6	15.7
18	2.0	11.9	3.5	10.5	15.9	15.9	19.9	16.5	17.1	16.6	8.3	16.6	5.6	16.2	3.7	16.3	4.0	16.2	4.1	16.0	3.7	15.7	3.1	15.7	2.9	15.7	3.1	15.6	2.8	15.6
19	2.1	11.5	3.9	9.7	4.3	12.1	19.9	15.7	17.4	16.6	9.1	16.6	8.2	16.1	4.2	16.3	4.3	16.1	4.8	15.9	3.8	15.7	3.1	15.7	3.0	15.7	3.4	15.6	3.1	15.5
20	2.2	11.1	4.3	9.1	5.1	10.9	6.7	12.5	22.0	16.0	15.2	16.1	7.0	12.8	5.3	16.2	4.2	16.1	4.4	15.9	3.7	15.6	3.1	15.7	3.5	15.6	3.2	15.5	3.4	15.0

	16 日		17 日		18 日		19 日		20 日		21 日		22 日		23 日		24 日		25 日		26 日		27 日		28 日		29 日		30 日	
水深	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度	水温	濁度
0.5	2.1	20.7	2.0	20.9	2.0	20.7	1.8	21.9	2.7	22.2	2.2	21.5	2.9	21.7	2.5	21.1	2.5	19.7	3.7	18.2	5.3	17.8	9.6	17.9	3.9	18.4	3.3	18.7	2.5	19.0
1	2.5	21.0	2.0	21.1	2.1	20.8	2.6	21.7	3.1	21.7	2.9	21.4	3.4	21.1	3.6	21.1	2.9	19.8	5.6	18.2	5.1	17.7	9.3	17.9	3.9	18.4	3.3	18.6	2.7	19.0
2	3.5	19.1	3.5	18.7	2.8	18.8	2.7	19.5	3.1	19.6	3.1	20.1	3.6	19.9	3.5	20.1	2.8	19.3	6.5	18.0	5.5	17.5	9.6	17.9	4.1	18.4	3.3	18.4	2.5	18.9
3	3.8	18.2	3.2	18.0	2.9	17.8	3.0	18.3	3.0	18.7	2.9	18.9	3.6	19.3	3.3	19.3	3.3	18.6	7.2	17.9	5.2	17.5	9.4	17.9	3.9	18.3	3.7	18.3	2.5	18.8
4	2.9	17.7	2.1	17.4	2.2	17.3	3.3	17.9	2.9	18.4	2.7	18.3	3.2	19.0	3.3	18.8	3.6	18.1	7.9	17.8	5.6	17.5	8.8	17.9	4.4	18.3	3.8	18.2	3.1	18.6
5	2.4	17.4	2.2	17.3	2.0	17.2	2.8	17.5	2.9	18.0	2.8	18.0	3.0	18.5	3.8	18.5	3.6	17.9	7.9	17.7	5.4	17.4	8.2	17.9	5.0	18.2	4.1	18.1	3.2	18.4
6	2.0	17.2	2.1	17.0	2.1	17.1	2.5	17.2	2.8	17.4	3.0	17.7	3.0	18.2	3.4	18.3	3.4	17.8	8.0	17.6	5.4	17.4	6.5	17.8	5.0	18.0	4.5	17.9	3.3	18.1
7	2.0	17.0	2.1	16.8	2.2	16.9	2.3	17.0	2.4	17.2	3.0	17.6	2.9	18.0	4.1	18.1	3.5	17.6	8.1	17.5	5.3	17.4	7.1	17.7	5.2	17.9	4.6	17.8	3.2	17.9
8	2.0	16.8	2.2	16.7	2.1	16.7	2.2	16.9	2.5	17.0	2.7	17.6	3.0	17.8	3.4	18.0	3.3	17.5	7.7	17.5	5.5	17.4	6.9	17.6	5.5	17.8	4.7	17.7	3.0	17.8
9	2.0	16.6	2.2	16.6	2.3	16.6	2.5	16.8	2.4	16.9	2.4	17.3	2.8	17.4	3.0	17.4	3.4	17.3	6.4	17.4	5.5	17.4	6.4	17.5	5.3	17.8	5.0	17.5	3.4	17.7
10	2.1	16.5	2.3	16.5	2.2	16.5	2.6	16.7	2.4	16.7	2.3	17.0	2.6	17.0	2.9	16.9	3.0	17.2	5.5	17.2	5.7	17.3	6.3	17.5	4.5	17.7	4.9	17.5	4.1	17.6
11	2.1	16.4	2.0	16.4	2.4	16.5	2.4	16.5	2.3	16.4	2.3	16.6	2.5	16.6	2.6	16.4	2.8	16.5	5.0	17.2	5.4	17.3	6.0	17.4	4.5	17.7	4.8	17.5	3.5	17.6
12	2.2	16.2	2.1	16.3	2.3	16.4	2.3	16.1	2.2	16.1	2.3	16.2	2.5	16.3	2.5	16.0	2.8	16.0	4.9	17.1	5.4	17.2	6.3	17.4	4.8	17.6	5.0	17.5	3.5	17.4
13	2.2	16.0	2.3	16.0	2.4	16.0	2.4	15.9	2.3	15.8	2.3	15.9	2.7	15.9	2.5	15.8	3.1	15.7	3.0	16.9	5.1	17.1	6.3	17.3	4.7	17.6	5.1	17.4	3.8	17.3
14	2.3	15.9	2.3	15.9	2.3	15.9	2.4	15.7	2.4	15.7	2.5	15.7	3.0	15.7	2.9	15.5	3.7	15.4	3.1	16.2	4.8	16.7	6.1	17.3	5.8	17.5	5.1	17.3	4.3	17.2
15	2.5	15.8	2.4	15.8	2.7	15.7	2.6	15.6	2.9	15.5	2.8	15.5	3.3	15.0	3.7	14.7	3.7	14.9	4.4	15.4	3.9	16.3	10.7	17.0	5.1	17.3	5.2	17.2	4.7	16.8
16	2.5	15.7	2.7	15.7	2.7	15.6	2.9	15.4	3.6	14.6	3.1	14.8	4.0	13.3	6.3	12.8	4.9	12.8	4.0	14.2	3.6	14.8	4.1	14.6	4.9	16.6	7.1	16.0	5.4	14.9
17	2.5	15.7	2.8	15.6	3.6	15.5	3.7	14.3	5.1	12.2	4.6	12.6	6.1	12.1	5.9	11.2	6.2	10.8	6.5	12.2	6.0	12.7	5.6	12.7	6.1	13.5	6.2	12.7	5.9	11.9
18	2.8	15.5	3.0	15.4	3.4	14.1	4.4	12.0	5.8	10.4	5.3	10.8	5.5	10.2	5.3	9.7	5.1	9.6	5.1	10.4	5.8	10.9	6.3	10.6	6.8	11.3	5.4	10.6	5.4	10.3
19	3.2	15.3	3.6	14.5	5.4	11.0	6.2	10.2	4.9	9.3	4.8	9.8	5.5	9.1	0.0	0.0	0.0	0.0	5.1	9.2	5.7	9.5	5.3	9.6	5.5	9.7	5.2	9.5	0.0	0.0
20	3.6	14.5	7.6	11.2	6.9	9.3	5.1	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0