

## 身体状況調査の結果

---



第14表 身長・体重の平均値及び標準偏差(性・年齢階級別)

年齢(歳)	男性						女性					
	身長(cm)			体重(kg)			身長(cm)			体重(kg)		
	人数	平均値	標準偏差	人数	平均値	標準偏差	人数	平均値	標準偏差	人数	平均値	標準偏差
1	2	77.7	0.4	2	10.2	0.6	-	-	-	-	-	-
2	1	88.5	0.0	1	11.2	0.0	-	-	-	-	-	-
3	2	94.5	1.0	2	13.9	0.2	2	94.5	0.8	2	14.5	0.0
4	2	100.9	2.5	2	15.7	0.2	2	104.1	2.3	2	16.3	0.5
5	-	-	-	-	-	-	1	111.2	0.0	1	19.9	0.0
6	2	123.8	2.6	2	24.7	2.1	2	118.3	7.5	2	21.5	3.5
7	1	119.5	0.0	1	25.0	0.0	1	124.8	0.0	1	22.5	0.0
8	1	130.0	0.0	1	29.8	0.0	-	-	-	-	-	-
9	1	137.8	0.0	1	32.8	0.0	5	132.4	5.5	5	28.2	4.1
10	1	133.0	0.0	1	27.8	0.0	1	136.2	0.0	1	30.7	0.0
11	-	-	-	-	-	-	1	147.2	0.0	1	40.1	0.0
12	-	-	-	-	-	-	1	160.2	0.0	1	43.4	0.0
13	1	160.1	0.0	1	51.6	0.0	-	-	-	-	-	-
14	1	160.3	0.0	1	52.3	0.0	1	149.4	0.0	1	47.1	0.0
15	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	1	178.8	0.0	1	68.9	0.0	1	165.5	0.0	1	50.4	0.0
20	1	168.3	0.0	1	70.7	0.0	1	154.2	0.0	1	42.9	0.0
21	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	2	156.5	3.2	2	49.7	2.0
24	-	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-	-	-
26-29	3	165.3	2.2	3	64.6	5.8	2	160.4	4.4	2	52.7	7.5
30-39	15	167.7	4.3	15	69.0	9.7	15	158.3	5.3	15	53.2	11.0
40-49	13	168.0	5.1	13	69.9	10.5	22	156.0	5.0	22	55.6	8.2
50-59	12	166.0	3.8	12	68.7	5.8	16	156.9	6.3	16	55.0	10.2
60-69	18	167.1	5.9	18	68.1	10.0	30	154.7	5.8	30	54.3	9.6
70歳以上	45	162.6	6.8	45	63.4	10.4	86	150.9	6.0	88	52.5	9.1
(再掲)20歳以上	107	165.2	6.2	107	66.5	10.1	171	153.7	6.3	173	53.5	9.3
(再掲)20-29	4	166.0	2.3	4	66.1	5.7	5	157.6	4.2	5	49.5	6.1
(再掲)60-64	7	168.8	4.0	7	67.2	11.6	20	154.7	5.1	20	52.6	8.0
(再掲)65-69	11	166.1	6.7	11	68.7	8.8	10	154.6	6.9	10	57.6	11.4
(再掲)70-74	14	166.6	5.9	14	68.4	11.9	36	152.9	6.0	36	53.5	8.4
(再掲)75-79	15	161.9	7.4	15	61.8	8.7	27	150.0	5.7	27	53.6	10.0
(再掲)80歳以上	16	159.8	5.3	16	60.5	8.7	23	148.9	5.6	25	49.9	8.5

注)体重は妊婦除外

第15表 BMIの平均値及び標準偏差(15歳以上、性・年齢階級別)

年齢(歳)	男性			女性		
	人数	平均値	標準偏差	人数	平均値	標準偏差
総数	108	24.3	3.0	175	22.6	3.8
15-19	1	21.6	0.0	1	18.4	0.0
20-29	4	24.0	2.0	5	19.9	1.8
30-39	15	24.5	3.4	15	21.1	3.4
40-49	13	24.7	3.1	22	22.9	3.1
50-59	12	25.0	2.2	16	22.5	5.0
60-69	18	24.3	2.9	30	22.6	3.4
70歳以上	45	23.9	3.0	86	23.1	3.7
(再掲)20歳以上	107	24.3	3.0	174	22.7	3.8
(再掲)20-69	62	24.6	2.9	88	22.2	3.7
(再掲)40-69	43	24.6	2.8	68	22.7	3.8
(再掲)65-69	11	24.8	2.6	10	24.0	4.1
(再掲)70-74	14	24.6	3.3	36	22.9	3.2
(再掲)75-79	15	23.5	2.2	27	23.8	4.0
(再掲)80-84	10	23.3	3.5	15	22.8	4.4
(再掲)85歳以上	6	24.4	2.6	8	22.6	3.5

注)妊婦除外

第16表 BMIの分布(15歳以上、性・年齢階級別)

BMI	総数		男性		女性	
	人数	%	人数	%	人数	%
総数	280	100.0	108	100.0	172	100.0
15未満	1	0.4	0	0.0	1	0.6
15-16未満	0	0.0	0	0.0	0	0.0
16-17未満	4	1.4	1	0.9	3	1.7
17-18未満	6	2.1	2	1.9	4	2.3
18-19未満	18	6.4	2	1.9	16	9.3
19-20未満	23	8.2	5	4.6	18	10.5
20-21未満	30	10.7	4	3.7	26	15.1
21-22未満	25	8.9	9	8.3	16	9.3
22-23未満	33	11.8	11	10.2	22	12.8
23-24未満	34	12.1	15	13.9	19	11.0
24-25未満	26	9.3	18	16.7	8	4.7
25-26未満	21	7.5	13	12.0	8	4.7
26-27未満	16	5.7	8	7.4	8	4.7
27-28未満	10	3.6	5	4.6	5	2.9
28-29未満	15	5.4	9	8.3	6	3.5
29-30未満	9	3.2	5	4.6	4	2.3
30-31未満	2	0.7	1	0.9	1	0.6
31-32未満	2	0.7	0	0.0	2	1.2
32-33未満	2	0.7	0	0.0	2	1.2
33-34未満	1	0.4	0	0.0	1	0.6
34-35未満	1	0.4	0	0.0	1	0.6
35以上	1	0.4	0	0.0	1	0.6

注)妊婦除外

第17表 BMIの状況(15歳以上、性・年齢階級別)

BMI	総数		低体重(やせ)		普通		肥満		(再掲) 25以上30未満		(再掲) 30以上	
			18.5未満		18.5以上25未満		25以上		人数	%	人数	%
	人数	%	人数	%	人数	%	人数	%				
総数	283	100.0	23	8.1	182	64.3	78	27.6	69	24.4	9	3.2
15-19	2	100.0	1	50.0	1	50.0	0	0.0	0	0.0	0	0.0
20-29	9	100.0	1	11.1	7	77.8	1	11.1	1	11.1	0	0.0
30-39	30	100.0	4	13.3	19	63.3	7	23.3	6	20.0	1	3.3
40-49	35	100.0	2	5.7	22	62.9	11	31.4	10	28.6	1	2.9
50-59	28	100.0	1	3.6	20	71.4	7	25.0	5	17.9	2	7.1
60-69	48	100.0	2	4.2	34	70.8	12	25.0	12	25.0	1	2.1
70歳以上	131	100.0	12	9.2	79	60.3	40	30.5	35	26.7	4	3.1
(再掲) 20歳以上	281	100.0	22	7.8	181	64.4	78	27.8	69	24.6	9	3.2
(再掲) 20-69	150	100.0	10	6.7	102	68.0	38	25.3	33	22.0	5	3.3
(再掲) 40-69	111	100.0	5	4.5	76	68.5	30	27.0	26	23.4	4	3.6
(再掲) 65-69	21	100.0	0	0.0	14	66.7	7	33.3	6	28.6	1	4.8
(再掲) 70-74	50	100.0	4	8.0	33	66.0	13	26.0	12	24.0	1	2.0
(再掲) 75-79	42	100.0	2	4.8	27	64.3	13	31.0	10	23.8	3	7.1
(再掲) 80-84	25	100.0	5	20.0	11	44.0	9	36.0	9	36.0	0	0.0
(再掲) 85歳以上	14	100.0	1	7.1	8	57.1	5	35.7	5	35.7	0	0.0
男性	108	100.0	5	4.6	62	57.4	41	38.0	40	37.0	1	0.9
15-19	1	100.0	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0
20-29	4	100.0	0	0.0	3	75.0	1	25.0	1	25.0	0	0.0
30-39	15	100.0	1	6.7	8	53.3	6	40.0	6	40.0	0	0.0
40-49	13	100.0	0	0.0	7	53.8	6	46.2	5	38.5	1	7.7
50-59	12	100.0	0	0.0	8	66.7	4	33.3	4	33.3	0	0.0
60-69	18	100.0	0	0.0	11	61.1	7	38.9	7	38.9	0	0.0
70歳以上	45	100.0	4	8.9	24	53.3	17	37.8	17	37.8	0	0.0
(再掲) 20歳以上	107	100.0	5	4.7	61	57.0	41	38.3	40	37.4	1	0.9
(再掲) 20-69	62	100.0	1	1.6	37	59.7	24	38.7	23	37.1	1	1.6
(再掲) 40-69	43	100.0	0	0.0	26	60.5	17	39.5	16	37.2	1	2.3
(再掲) 65-69	11	100.0	0	0.0	6	54.5	5	45.5	5	45.5	0	0.0
(再掲) 70-74	14	100.0	1	7.1	6	42.9	7	50.0	7	50.0	0	0.0
(再掲) 75-79	15	100.0	1	6.7	10	66.7	4	26.7	4	26.7	0	0.0
(再掲) 80-84	10	100.0	2	20.0	4	40.0	4	40.0	4	40.0	0	0.0
(再掲) 85歳以上	6	100.0	0	0.0	4	66.7	2	33.3	2	33.3	0	0.0
女性	175	100.0	18	10.3	120	68.6	37	21.1	29	16.6	8	4.6
15-19	1	100.0	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	5	100.0	1	20.0	4	80.0	0	0.0	0	0.0	0	0.0
30-39	15	100.0	3	20.0	11	73.3	1	6.7	0	0.0	1	6.7
40-49	22	100.0	2	9.1	15	68.2	5	22.7	5	22.7	0	0.0
50-59	16	100.0	1	6.3	12	75.0	3	18.8	1	6.3	2	12.5
60-69	30	100.0	2	6.7	23	76.7	5	16.7	4	13.3	1	3.3
70歳以上	86	100.0	8	9.3	55	64.0	23	26.7	19	22.1	4	4.7
(再掲) 20歳以上	174	100.0	17	9.8	120	69.0	37	21.3	29	16.7	8	4.6
(再掲) 20-69	88	100.0	9	10.2	65	73.9	14	15.9	10	11.4	4	4.5
(再掲) 40-69	68	100.0	5	7.4	50	73.5	13	19.1	10	14.7	3	4.4
(再掲) 65-69	10	100.0	0	0.0	8	80.0	2	20.0	1	10.0	1	10.0
(再掲) 70-74	36	100.0	3	8.3	27	75.0	6	16.7	5	13.9	1	2.8
(再掲) 75-79	27	100.0	1	3.7	17	63.0	9	33.3	6	22.2	3	11.1
(再掲) 80-84	15	100.0	3	20.0	7	46.7	5	33.3	5	33.3	0	0.0
(再掲) 85歳以上	8	100.0	1	12.5	4	50.0	3	37.5	3	37.5	0	0.0

注) 妊婦除外。BMIの判定は6ページ参照

第18表 学校保健統計調査方式による肥満区分(6-14歳、性・年齢階級別)

	総数		6-8歳		9-11歳		12-14歳	
	人数	%	人数	%	人数	%	人数	%
総数	20	100.0	7	100.0	9	100.0	4	100.0
-30%未満	0	0.0	0	0.0	0	0.0	0	0.0
-30%以上～-20%未満	0	0.0	0	0.0	0	0.0	0	0.0
-20%以上～-10%未満	4	20.0	1	14.3	2	22.2	1	25.0
-10%以上～0%未満	7	35.0	3	42.9	4	44.4	0	0.0
0%以上～+10%未満	7	35.0	2	28.6	2	22.2	3	75.0
+10%以上～+20%未満	2	10.0	1	14.3	1	11.1	0	0.0
+20%以上～+30%未満	0	0.0	0	0.0	0	0.0	0	0.0
+30%以上～+40%未満	0	0.0	0	0.0	0	0.0	0	0.0
+40%以上～+50%未満	0	0.0	0	0.0	0	0.0	0	0.0
+50%以上	0	0.0	0	0.0	0	0.0	0	0.0
総数	8	100.0	4	100.0	2	100.0	2	100.0
-30%未満	0	0.0	0	0.0	0	0.0	0	0.0
-30%以上～-20%未満	0	0.0	0	0.0	0	0.0	0	0.0
-20%以上～-10%未満	0	0.0	0	0.0	0	0.0	0	0.0
-10%以上～0%未満	3	37.5	1	25.0	2	100.0	0	0.0
0%以上～+10%未満	4	50.0	2	50.0	0	0.0	2	100.0
+10%以上～+20%未満	1	12.5	1	25.0	0	0.0	0	0.0
+20%以上～+30%未満	0	0.0	0	0.0	0	0.0	0	0.0
+30%以上～+40%未満	0	0.0	0	0.0	0	0.0	0	0.0
+40%以上～+50%未満	0	0.0	0	0.0	0	0.0	0	0.0
+50%以上	0	0.0	0	0.0	0	0.0	0	0.0
総数	12	100.0	3	100.0	7	100.0	2	100.0
-30%未満	0	0.0	0	0.0	0	0.0	0	0.0
-30%以上～-20%未満	0	0.0	0	0.0	0	0.0	0	0.0
-20%以上～-10%未満	4	33.3	1	33.3	2	28.6	1	50.0
-10%以上～0%未満	4	33.3	2	66.7	2	28.6	0	0.0
0%以上～+10%未満	3	25.0	0	0.0	2	28.6	1	50.0
+10%以上～+20%未満	1	8.3	0	0.0	1	14.3	0	0.0
+20%以上～+30%未満	0	0.0	0	0.0	0	0.0	0	0.0
+30%以上～+40%未満	0	0.0	0	0.0	0	0.0	0	0.0
+40%以上～+50%未満	0	0.0	0	0.0	0	0.0	0	0.0
+50%以上	0	0.0	0	0.0	0	0.0	0	0.0

注)学校保健統計調査方式による区分は7ページ参照

第19表 腹围の分布(20歳以上、性・年齢階級別)

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲)40-74歳	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	282	100.0	8	100.0	30	100.0	35	100.0	28	100.0	48	100.0	133	100.0	162	100.0
50cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
50-55cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
55-60cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
60-65cm未満	3	1.1	1	12.5	0	0.0	1	2.9	0	0.0	0	0.0	1	0.8	2	1.2
65-70cm未満	20	7.1	0	0.0	5	16.7	1	2.9	4	14.3	3	6.3	7	5.3	11	6.8
70-75cm未満	31	11.0	3	37.5	4	13.3	6	17.1	1	3.6	4	8.3	13	9.8	17	10.5
75-80cm未満	43	15.2	3	37.5	5	16.7	7	20.0	8	28.6	7	14.6	13	9.8	27	16.7
80-85cm未満	50	17.7	1	12.5	4	13.3	9	25.7	5	17.9	12	25.0	19	14.3	36	22.2
85-90cm未満	44	15.6	0	0.0	6	20.0	3	8.6	3	10.7	6	12.5	26	19.5	20	12.3
90-95cm未満	40	14.2	0	0.0	2	6.7	4	11.4	3	10.7	9	18.8	22	16.5	23	14.2
95-100cm未満	32	11.3	0	0.0	3	10.0	2	5.7	4	14.3	5	10.4	18	13.5	16	9.9
100-105cm未満	14	5.0	0	0.0	1	3.3	2	5.7	0	0.0	2	4.2	9	6.8	5	3.1
105-110cm未満	2	0.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.5	4	2.5
110-115cm未満	3	1.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	2.3	1	0.6
115-120cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
120cm以上	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
総数	107	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	45	100.0	57	100.0
50cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
50-55cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
55-60cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
60-65cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
65-70cm未満	1	0.9	0	0.0	1	6.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
70-75cm未満	7	6.5	1	25.0	0	0.0	1	7.7	0	0.0	2	11.1	3	6.7	4	7.0
75-80cm未満	12	11.2	2	50.0	1	6.7	2	15.4	2	16.7	1	5.6	4	8.9	6	10.5
80-85cm未満	20	18.7	1	25.0	4	26.7	4	30.8	2	16.7	3	16.7	6	13.3	12	21.1
85-90cm未満	20	18.7	0	0.0	4	26.7	0	0.0	3	25.0	1	5.6	12	26.7	7	12.3
90-95cm未満	24	22.4	0	0.0	2	13.3	3	23.1	3	25.0	6	33.3	10	22.2	12	21.1
95-100cm未満	15	14.0	0	0.0	3	20.0	1	7.7	2	16.7	5	27.8	4	8.9	8	14.0
100-105cm未満	5	4.7	0	0.0	0	0.0	2	15.4	0	0.0	0	0.0	3	6.7	5	8.8
105-110cm未満	2	1.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.4	2	3.5
110-115cm未満	1	0.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.2	1	1.8
115-120cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
120cm以上	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
総数	175	100.0	4	100.0	15	100.0	22	100.0	16	100.0	30	100.0	88	100.0	105	100.0
50cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
50-55cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
55-60cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
60-65cm未満	3	1.7	1	25.0	0	0.0	1	4.5	0	0.0	0	0.0	1	1.1	2	1.9
65-70cm未満	19	10.9	0	0.0	4	26.7	1	4.5	4	25.0	3	10.0	7	8.0	11	10.5
70-75cm未満	24	13.7	2	50.0	4	26.7	5	22.7	4	6.3	2	6.7	10	11.4	13	12.4
75-80cm未満	31	17.7	1	25.0	4	26.7	5	22.7	6	37.5	6	20.0	9	10.2	21	20.0
80-85cm未満	30	17.1	0	0.0	0	0.0	5	22.7	3	18.8	9	30.0	13	14.8	24	22.9
85-90cm未満	24	13.7	0	0.0	2	13.3	3	13.6	0	0.0	5	16.7	14	15.9	13	12.4
90-95cm未満	16	9.1	0	0.0	0	0.0	1	4.5	0	0.0	3	10.0	12	13.6	11	10.5
95-100cm未満	17	9.7	0	0.0	1	6.7	0	0.0	2	12.5	0	0.0	14	15.9	8	7.6
100-105cm未満	9	5.1	0	0.0	1	6.7	0	0.0	0	0.0	2	6.7	6	6.8	0	0.0
105-110cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.9
110-115cm未満	2	1.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	2.3	0	0.0
115-120cm未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
120cm以上	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

注)腹围は妊婦除外

第20表 腹围の区分(20歳以上、性・年齢階級別)

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 40-74歳	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	282	100.0	8	100.0	30	100.0	35	100.0	28	100.0	48	100.0	133	100.0	161	100.0
総数	171	60.6	8	100.0	21	70.0	27	77.1	19	67.9	31	64.6	65	48.9	105	65.2
<85cm(男)/<90cm(女)	111	39.4	0	0.0	9	30.0	8	22.9	9	32.1	17	35.4	68	51.1	56	34.8
総数	107	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	45	100.0	57	100.0
男性	42	39.3	4	100.0	7	46.7	7	53.8	5	41.7	6	33.3	13	28.9	22	38.6
<85cm	65	60.7	0	0.0	8	53.3	6	46.2	7	58.3	12	66.7	32	71.1	35	61.4
総数	175	100.0	4	100.0	15	100.0	22	100.0	16	100.0	30	100.0	88	100.0	104	100.0
女性	131	74.9	4	100.0	14	93.3	20	90.9	14	87.5	25	83.3	54	61.4	83	79.8
<90cm	44	25.1	0	0.0	1	6.7	2	9.1	2	12.5	5	16.7	34	38.6	21	20.2

注)腹围は妊婦除外

第21表 BMI・腹围の区分(20歳以上、性・年齢階級別)

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 40-74歳	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	280	100.0	8	100.0	30	100.0	35	100.0	28	100.0	48	100.0	131	100.0	161	100.0
BMI<25、 腹围<85cm(男)/90cm(女)	161	57.5	7	87.5	20	66.7	24	68.6	17	60.7	28	58.3	65	49.6	97	60.2
BMIのみ超(BMI≥25)	9	3.2	1	12.5	0	0.0	3	8.6	1	3.6	3	6.3	1	0.8	8	5.0
腹围のみ超 (腹围≥85cm(男)/90cm(女))	41	14.6	0	0.0	3	10.0	0	0.0	4	14.3	8	16.7	26	19.8	21	13.0
BMI≥25、 腹围≥85cm(男)/90cm(女)	69	24.6	0	0.0	7	23.3	8	22.9	6	21.4	9	18.8	39	29.8	35	21.7
総数	107	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	45	100.0	57	100.0
BMI<25、腹围<85cm	38	35.5	3	75.0	6	40.0	7	53.8	4	33.3	5	27.8	13	28.9	21	36.8
BMIのみ超(BMI≥25)	2	1.9	1	25.0	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0	1	1.8
腹围のみ超(腹围≥85cm)	28	26.2	0	0.0	3	20.0	0	0.0	4	33.3	6	33.3	15	33.3	12	21.1
BMI≥25、腹围≥85cm	39	36.4	0	0.0	6	40.0	6	46.2	4	33.3	6	33.3	17	37.8	23	40.4
総数	173	100.0	4	100.0	15	100.0	22	100.0	16	100.0	30	100.0	86	100.0	104	100.0
BMI<25、腹围<90cm	123	71.1	4	100.0	14	93.3	17	77.3	13	81.3	23	76.7	52	60.5	76	73.1
BMIのみ超(BMI≥25)	7	4.0	0	0.0	0	0.0	3	13.6	1	6.3	2	6.7	1	1.2	7	6.7
腹围のみ超(腹围≥90cm)	13	7.5	0	0.0	0	0.0	0	0.0	0	0.0	2	6.7	11	12.8	9	8.7
BMI≥25、腹围≥90cm	30	17.3	0	0.0	1	6.7	2	9.1	2	12.5	3	10.0	22	25.6	12	11.5

注)腹围は妊婦除外

第22表 薬の服用状況（性・年齢階級別）

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	282	100.0	9	100.0	30	100.0	35	100.0	28	100.0	48	100.0	132	100.0
使用なし	177	62.8	9	100.0	25	83.3	31	88.6	19	67.9	31	64.6	62	47.0
使用あり(一つ以上)	105	37.2	0	0.0	5	16.7	4	11.4	9	32.1	17	35.4	70	53.0
総数	106	37.6	0	0.0	4	13.3	4	11.4	8	28.6	14	29.2	76	57.6
血圧を下げる薬	8	2.8	0	0.0	0	0.0	0	0.0	0	0.0	3	6.3	5	3.8
脈の乱れを治す薬	25	8.9	0	0.0	3	10.0	0	0.0	2	7.1	7	14.6	16	12.1
インスリン注射または血糖を下げる薬	59	20.9	0	0.0	1	3.3	0	0.0	2	7.1	11	22.9	45	34.1
コレステロールを下げる薬	21	7.4	0	0.0	1	3.3	0	0.0	1	3.6	6	12.5	13	9.8
中性脂肪(トリグリセリド)を下げる薬	106	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	44	100.0
総数	81	76.4	4	100.0	12	80.0	11	84.6	8	66.7	11	61.1	35	79.5
使用なし	25	23.6	0	0.0	3	20.0	2	15.4	4	33.3	7	38.9	9	20.5
使用あり(一つ以上)	47	44.3	0	0.0	2	13.3	2	15.4	4	33.3	7	38.9	32	72.7
血圧を下げる薬	6	5.7	0	0.0	0	0.0	0	0.0	0	0.0	3	16.7	3	6.8
脈の乱れを治す薬	13	12.3	0	0.0	3	20.0	0	0.0	1	8.3	6	33.3	6	13.6
インスリン注射または血糖を下げる薬	24	22.6	0	0.0	1	6.7	0	0.0	0	0.0	8	44.4	15	34.1
コレステロールを下げる薬	12	11.3	0	0.0	1	6.7	0	0.0	1	8.3	6	33.3	4	9.1
中性脂肪(トリグリセリド)を下げる薬	176	100.0	5	100.0	15	100.0	22	100.0	16	100.0	30	100.0	88	100.0
総数	96	54.5	5	100.0	13	86.7	20	90.9	11	68.8	20	66.7	27	30.7
使用なし	80	45.5	0	0.0	2	13.3	2	9.1	5	31.3	10	33.3	61	69.3
使用あり(一つ以上)	59	33.5	0	0.0	2	13.3	2	9.1	4	25.0	7	23.3	44	50.0
血圧を下げる薬	2	1.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	2.3
脈の乱れを治す薬	12	6.8	0	0.0	0	0.0	0	0.0	1	6.3	1	3.3	10	11.4
インスリン注射または血糖を下げる薬	35	19.9	0	0.0	0	0.0	0	0.0	2	12.5	3	10.0	30	34.1
コレステロールを下げる薬	9	5.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	9	10.2
中性脂肪(トリグリセリド)を下げる薬														

第23表 血圧の状況(性・年齢階級別)

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲)65-74		(再掲)75歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	282	100.0	9	100.0	30	100.0	35	100.0	28	100.0	48	100.0	132	100.0	71	100.0	82	100.0
正常血圧	78	27.7	9	100.0	19	63.3	13	37.1	7	25.0	13	27.1	17	12.9	12	16.9	10	12.2
正常高値血圧	41	14.5	0	0.0	4	13.3	5	14.3	7	25.0	7	14.6	18	13.6	6	8.5	14	17.1
高値血圧	74	26.2	0	0.0	6	20.0	8	22.9	6	21.4	16	33.3	38	28.8	24	33.8	22	26.8
I度高血圧	66	23.4	0	0.0	1	3.3	7	20.0	7	25.0	10	20.8	41	31.1	19	26.8	27	32.9
II度高血圧	19	6.7	0	0.0	0	0.0	2	5.7	1	3.6	1	2.1	15	11.4	9	12.7	6	7.3
III度高血圧	4	1.4	0	0.0	0	0.0	0	0.0	0	0.0	1	2.1	3	2.3	1	1.4	3	3.7
(再掲)収縮期高血圧	69	24.5	0	0.0	0	0.0	4	11.4	5	17.9	9	18.8	51	38.6	28	39.4	30	36.6
総数	106	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	44	100.0	25	100.0	30	100.0
正常血圧	31	29.2	4	100.0	8	53.3	4	30.8	3	25.0	5	27.8	7	15.9	4	16.0	5	16.7
正常高値血圧	15	14.2	0	0.0	3	20.0	0	0.0	2	16.7	1	5.6	9	20.5	2	8.0	8	26.7
高値血圧	27	25.5	0	0.0	3	20.0	4	30.8	1	8.3	7	38.9	12	27.3	8	32.0	9	30.0
I度高血圧	21	19.8	0	0.0	1	6.7	5	38.5	5	41.7	4	22.2	6	13.6	4	16.0	4	13.3
II度高血圧	9	8.5	0	0.0	0	0.0	0	0.0	1	8.3	0	0.0	8	18.2	6	24.0	2	6.7
III度高血圧	3	2.8	0	0.0	0	0.0	0	0.0	0	0.0	1	5.6	2	4.5	1	4.0	2	6.7
(再掲)収縮期高血圧	22	20.8	0	0.0	0	0.0	1	7.7	3	25.0	5	27.8	13	29.5	16	64.0	6	20.0
総数	176	100.0	5	100.0	15	100.0	22	100.0	16	100.0	30	100.0	88	100.0	46	100.0	52	100.0
正常血圧	47	26.7	5	100.0	11	73.3	9	40.9	4	25.0	8	26.7	10	11.4	8	17.4	5	9.6
正常高値血圧	26	14.8	0	0.0	1	6.7	5	22.7	5	31.3	6	20.0	9	10.2	4	8.7	6	11.5
高値血圧	47	26.7	0	0.0	3	20.0	4	18.2	5	31.3	9	30.0	26	29.5	16	34.8	13	25.0
I度高血圧	45	25.6	0	0.0	0	0.0	2	9.1	2	12.5	6	20.0	35	39.8	15	32.6	23	44.2
II度高血圧	10	5.7	0	0.0	0	0.0	2	9.1	0	0.0	1	3.3	7	8.0	3	6.5	4	7.7
III度高血圧	1	0.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	0	0.0	1	1.9
(再掲)収縮期高血圧	47	26.7	0	0.0	0	0.0	3	13.6	2	12.5	4	13.3	38	43.2	12	26.1	24	46.2

第24表 ヘモグロビンA1cの状況(性・年齢階級別)

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以降		(再掲)65-74歳		(再掲)75歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	277	100.0	9	100.0	30	100.0	35	100.0	28	100.0	46	100.0	129	100.0	68	100.0	80	100.0
4.2%以下	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
4.3-4.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
4.5-4.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
4.7-4.8	3	1.1	0	0.0	1	3.3	1	2.9	1	3.6	0	0.0	0	0.0	0	0.0	0	0.0
4.9-5.0	18	6.5	2	22.2	5	16.7	5	14.3	2	7.1	1	2.2	3	2.3	0	0.0	3	3.8
5.1-5.2	41	14.8	4	44.4	11	36.7	6	17.1	2	7.1	4	8.7	14	10.9	10	14.7	4	5.0
5.3	42	15.2	3	33.3	6	20.0	6	17.1	5	17.9	7	15.2	15	11.6	8	11.8	11	13.8
5.4	45	16.2	0	0.0	4	13.3	13	37.1	5	17.9	5	10.9	18	14.0	9	13.2	12	15.0
5.5	27	9.7	0	0.0	1	3.3	2	5.7	4	14.3	10	21.7	10	7.8	10	14.7	5	6.3
5.6	19	6.9	0	0.0	1	3.3	1	2.9	0	0.0	4	8.7	13	10.1	7	10.3	7	8.8
5.7	17	6.1	0	0.0	1	3.3	1	2.9	3	10.7	2	4.3	10	7.8	4	5.9	6	7.5
5.8	11	4.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	11	8.5	5	7.4	6	7.5
5.9	8	2.9	0	0.0	0	0.0	0	0.0	1	3.6	1	2.2	6	4.7	5	7.4	1	1.3
6	12	4.3	0	0.0	0	0.0	0	0.0	2	7.1	3	6.5	7	5.4	3	4.4	6	7.5
6.1	5	1.8	0	0.0	0	0.0	0	0.0	1	3.6	2	4.3	2	1.6	1	1.5	2	2.5
6.2	4	1.4	0	0.0	0	0.0	0	0.0	0	0.0	1	2.2	3	2.3	0	0.0	3	3.8
6.3	6	2.2	0	0.0	0	0.0	0	0.0	1	3.6	2	4.3	3	2.3	2	2.9	2	2.5
6.4	4	1.4	0	0.0	0	0.0	0	0.0	1	3.6	0	0.0	3	2.3	0	0.0	3	3.8
6.5	4	1.4	0	0.0	0	0.0	0	0.0	0	0.0	1	2.2	3	2.3	1	1.5	3	3.8
6.6-6.7	3	1.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	2.3	1	1.5	2	2.5
6.8-6.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
7.0-7.1	3	1.1	0	0.0	0	0.0	0	0.0	0	0.0	1	2.2	2	1.6	0	0.0	2	2.5
7.2-7.3	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	1.3
7.4-7.5	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	1.3
7.6-7.7	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	2.2	0	0.0	1	1.5	0	0.0
7.8-7.9	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	2.2	0	0.0	0	0.0	0	0.0
8.0-8.1	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.8	1	1.5	0	0.0
8.2-8.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
8.4-8.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
8.6-8.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
8.8-8.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
9.0以上	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
(再掲)6.5以上	14	5.1	0	0.0	0	0.0	0	0.0	0	0.0	4	8.7	10	7.8	4	5.9	8	10.0
平均値	5.6		5.2		5.2		5.3		5.5		5.7		5.7		5.6		5.8	
総数	103	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	41	100.0	24	100.0	28	100.0
4.2%以下	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
4.3-4.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
4.5-4.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
4.7-4.8	2	1.9	0	0.0	0	0.0	1	7.7	1	8.3	0	0.0	0	0.0	0	0.0	0	0.0
4.9-5.0	7	6.8	0	0.0	3	20.0	1	7.7	0	0.0	1	5.6	2	4.9	0	0.0	2	7.1
5.1-5.2	14	13.6	2	50.0	6	40.0	1	7.7	1	8.3	1	5.6	3	7.3	2	8.3	1	3.6
5.3	13	12.6	2	50.0	1	6.7	3	23.1	2	16.7	2	11.1	3	7.3	2	8.3	3	10.7
5.4	17	16.5	0	0.0	3	20.0	5	38.5	3	25.0	1	5.6	5	12.2	4	16.7	2	7.1
5.5	11	10.7	0	0.0	0	0.0	1	7.7	1	8.3	3	16.7	6	14.6	6	25.0	3	10.7
5.6	7	6.8	0	0.0	1	6.7	0	0.0	0	0.0	1	5.6	5	12.2	3	12.5	3	10.7
5.7	5	4.9	0	0.0	1	6.7	1	7.7	1	8.3	1	5.6	1	2.4	0	0.0	1	3.6
5.8	4	3.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	9.8	0	0.0	4	14.3
5.9	3	2.9	0	0.0	0	0.0	0	0.0	1	8.3	0	0.0	2	4.9	1	4.2	1	3.6
6	5	4.9	0	0.0	0	0.0	0	0.0	0	0.0	2	11.1	3	7.3	1	4.2	3	10.7
6.1	1	1.0	0	0.0	0	0.0	0	0.0	1	8.3	0	0.0	0	0.0	0	0.0	0	0.0
6.2	1	1.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0	0	0.0	0	0.0
6.3	5	4.9	0	0.0	0	0.0	0	0.0	0	0.0	2	11.1	3	7.3	2	8.3	2	7.1
6.4	1	1.0	0	0.0	0	0.0	0	0.0	1	8.3	0	0.0	0	0.0	0	0.0	0	0.0
6.5	1	1.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0	1	4.2	0	0.0
6.6-6.7	1	1.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.4	0	0.0	1	3.6
6.8-6.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
7.0-7.1	1	1.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.4	0	0.0	1	3.6
7.2-7.3	1	1.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.4	0	0.0	1	3.6
7.4-7.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
7.6-7.7	1	1.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0	1	4.2	0	0.0
7.8-7.9	1	1.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0	0	0.0	0	0.0
8.0-8.1	1	1.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.4	1	4.2	0	0.0
8.2-8.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
8.4-8.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
8.6-8.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
8.8-8.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
9.0以上	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
(再掲)6.5以上	7	6.8	0	0.0	0	0.0	0	0.0	0	0.0	3	16.7	4	9.8	3	12.5	3	10.7
平均値	5.6		5.2		5.3		5.3		5.5		5.9		5.9		5.8		5.8	
総数	174	100.0	5	100.0	15	100.0	22	100.0	16	100.0	28	100.0	88	100.0	44	100.0	52	100.0
4.2%以下	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
4.3-4.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
4.5-4.6	0	0.0	0	0														

第25表 総コレステロール値の分布(性・年齢階級別)

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲)65-74歳		(再掲)75歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	103	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	41	100.0	24	100.0	28	100.0
120mg/dl未満	3	2.9	0	0.0	0	0.0	1	7.7	0	0.0	0	0.0	2	4.9	0	0.0	2	7.1
120-139	2	1.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.9	0	0.0	2	7.1
140-159	8	7.8	0	0.0	2	13.3	0	0.0	0	0.0	1	5.6	5	12.2	3	12.5	3	10.7
160-179	20	19.4	1	25.0	3	20.0	1	7.7	2	16.7	5	27.8	8	19.5	7	29.2	5	17.9
180-199	31	30.1	2	50.0	3	20.0	3	23.1	4	33.3	5	27.8	14	34.1	6	25.0	12	42.9
200-219	17	16.5	0	0.0	4	26.7	2	15.4	2	16.7	2	11.1	7	17.1	4	16.7	3	10.7
220-239	8	7.8	1	25.0	0	0.0	3	23.1	0	0.0	3	16.7	1	2.4	2	8.3	0	0.0
240-259	6	5.8	0	0.0	1	6.7	2	15.4	2	16.7	0	0.0	1	2.4	0	0.0	1	3.6
260-279	4	3.9	0	0.0	0	0.0	1	7.7	2	16.7	0	0.0	1	2.4	1	4.2	0	0.0
280-299	3	2.9	0	0.0	1	6.7	0	0.0	0	0.0	2	11.1	0	0.0	1	4.2	0	0.0
300mg/dl以上	1	1.0	0	0.0	1	6.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
(再掲)220以上	22	21.4	1	25.0	3	20.0	6	46.2	4	33.3	5	27.8	3	7.3	4	16.7	1	3.6
(再掲)240以上	14	13.6	0	0.0	3	20.0	3	23.1	4	33.3	2	11.1	2	4.9	2	8.3	1	3.6
平均値(mg/dl)	196.3		193.5		204.0		205.6		214.9		204.3		181.9		194.2		177.0	
標準偏差	40.4		26.5		43.7		51.5		37.4		37.3		33.0		34.2		32.4	
総数	174	100.0	5	100.0	15	100.0	22	100.0	16	100.0	28	100.0	88	100.0	44	100.0	52	100.0
120mg/dl未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
120-139	5	2.9	0	0.0	1	6.7	0	0.0	0	0.0	1	3.6	3	3.4	2	4.5	2	3.8
140-159	10	5.7	1	20.0	1	6.7	3	13.6	0	0.0	1	3.6	4	4.5	2	4.5	2	3.8
160-179	19	10.9	0	0.0	4	26.7	1	4.5	2	12.5	1	3.6	11	12.5	6	13.6	5	9.6
180-199	37	21.3	1	20.0	4	26.7	9	40.9	3	18.8	4	14.3	16	18.2	7	15.9	10	19.2
200-219	43	24.7	2	40.0	4	26.7	2	9.1	3	18.8	8	28.6	24	27.3	12	27.3	16	30.8
220-239	29	16.7	0	0.0	1	6.7	2	9.1	3	18.8	5	17.9	18	20.5	9	20.5	10	19.2
240-259	17	9.8	0	0.0	0	0.0	3	13.6	3	18.8	6	21.4	5	5.7	2	4.5	3	5.8
260-279	9	5.2	0	0.0	0	0.0	1	4.5	2	12.5	1	3.6	5	5.7	4	9.1	2	3.8
280-299	4	2.3	1	20.0	0	0.0	1	4.5	0	0.0	1	3.6	1	1.1	0	0.0	1	1.9
300mg/dl以上	1	0.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	0	0.0	1	1.9
(再掲)220以上	60	34.5	1	20.0	1	6.7	7	31.8	8	50.0	13	46.4	30	34.1	15	34.1	17	32.7
(再掲)240以上	31	17.8	1	20.0	0	0.0	5	22.7	5	31.3	8	28.6	12	13.6	6	13.6	7	13.5
平均値(mg/dl)	206.5		202.6		185.4		203.0		217.6		218.6		205.3		204.3		206.7	
標準偏差	35.2		45.6		25.9		39.2		31.8		32.3		34.1		34.3		34.1	

第26表 HDL-Cコレステロール値の分布(性・年齢階級別)

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 65-74歳		(再掲) 75歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	103	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	41	100.0	24	100.0	28	100.0
30mg/dl未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
30-39	12	11.7	0	0.0	1	6.7	2	15.4	1	8.3	2	11.1	6	14.6	2	8.3	5	17.9
40-49	23	22.3	0	0.0	4	26.7	3	23.1	1	8.3	4	27.7	11	26.8	6	23.1	8	28.6
50-59	27	26.2	1	25.0	5	33.3	3	23.1	4	33.3	5	27.8	9	22.0	7	26.8	5	17.9
60-69	21	20.4	3	75.0	4	26.7	4	30.8	4	33.3	2	11.1	10	24.4	8	30.8	5	17.9
70-79	9	8.7	0	0.0	1	6.7	2	15.4	2	16.7	2	11.1	3	7.3	1	4.2	1	3.6
80-89	3	2.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
90-99	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
100mg/dl以上	1	1.0	0	0.0	1	6.7	1	7.7	2	15.4	2	11.1	2	4.9	1	4.2	1	3.6
平均値(mg/dl)	55.4		64		54.8		55.5		55.6		55.3		53.8		55.4		54.0	
標準偏差	13.4		3.4		10.0		15.2		10.7		12.9		14.9		10.0		16.9	
総数	174	100.0	5	100.0	15	100.0	22	100.0	16	100.0	28	100.0	88	100.0	44	100.0	52	100.0
30mg/dl未満	5	2.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
30-39	18	10.3	0	0.0	6	40.0	4	18.2	1	6.3	2	7.1	3	3.4	3	6.8	1	1.9
40-49	34	19.5	1	4.0	1	6.7	1	4.5	0	0.0	2	7.1	13	14.8	8	18.2	8	15.4
50-59	36	20.7	2	5.6	4	26.7	6	27.3	2	12.5	6	21.4	14	15.9	7	15.9	17	32.7
60-69	33	19.0	2	6.1	4	12.1	5	22.7	3	18.8	3	10.7	16	18.2	11	25.0	6	11.5
70-79	27	15.5	1	3.7	3	20.0	5	22.7	2	12.5	6	21.4	10	11.4	5	11.4	7	13.5
80-89	14	8.0	0	0.0	2	13.3	2	9.1	2	12.5	4	14.3	6	6.8	5	11.4	2	3.8
90-99	7	4.0	0	0.0	0	0.0	1	4.5	2	12.5	2	7.1	2	2.3	0	0.0	2	3.8
100mg/dl以上	68.9		74.0		72.2		68.7		75.9		72.9		65.2		67.4		64.2	
平均値(mg/dl)	17.1		6.1		14.6		13.8		20.1		15.3		16.5		16.9		16.1	
標準偏差																		

第27表 LDL-Cコレステロール値の分布(性・年齢階級別)

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 65-74歳		(再掲) 75歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	103	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	41	100.0	24	100.0	28	100.0
30mg/dl未満	1	1.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
30-39	2	1.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.9	0	0.0	2	7.1
40-49	3	2.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	7.3	0	0.0	3	10.7
50-59	2	1.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.9	0	0.0	2	7.1
60-69	7	6.8	1	25.0	1	6.7	1	7.7	2	16.7	2	11.1	2	4.9	3	12.5	1	3.6
70-79	5	4.9	1	25.0	2	13.3	1	7.7	0	0.0	0	0.0	3	7.3	1	4.2	2	7.1
80-89	9	8.7	1	25.0	2	13.3	1	7.7	0	0.0	1	5.6	5	12.2	3	12.5	2	7.1
90-99	10	9.7	1	25.0	1	6.7	1	7.7	1	8.3	2	7.1	4	9.8	3	12.5	3	10.7
100-109	20	19.4	1	25.0	2	13.3	2	15.4	2	16.7	6	33.3	8	19.5	7	28.2	6	21.4
110-119	14	13.6	0	0.0	5	33.3	2	15.4	1	8.3	4	22.2	5	12.2	2	7.7	3	10.7
120-129	9	8.7	1	25.0	1	6.7	0	0.0	1	8.3	0	0.0	2	4.9	1	4.2	3	10.7
130-139	4	3.9	0	0.0	0	0.0	2	15.4	0	0.0	0	0.0	2	4.9	0	0.0	0	0.0
140-149	1	0.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
150-159	5	4.9	0	0.0	0	0.0	1	7.7	3	25.0	1	5.6	0	0.0	0	0.0	0	0.0
160-169	1	0.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
170-179	5	4.9	0	0.0	1	6.7	0	0.0	1	8.3	0	0.0	2	4.9	0	0.0	1	3.6
180-189	4	3.9	0	0.0	1	6.7	2	15.4	0	0.0	1	5.6	0	0.0	1	4.2	0	0.0
190-199	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
200-209	1	1.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
210-219	1	1.0	0	0.0	1	6.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
220mg/dl以上	115.6		116		127.2		127.8		124.6		120.3		102.3		113.1		97.8	
平均値(mg/dl)	35.4		26.2		35.4		45.5		30.4		27.3		32.7		27.5		33.8	
標準偏差	17.1		5		15		22		16		28		88		44		52	
総数	174	100.0	5	100.0	15	100.0	22	100.0	16	100.0	28	100.0	88	100.0	44	100.0	52	100.0
30mg/dl未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
50-59	2	1.1	1	20.0	0	0.0	0	0.0	0	0.0	1	3.6	0	0.0	0	0.0	0	0.0
60-69	9	5.2	2	18.3	2	13.3	3	13.6	0	0.0	1	3.6	7	8.0	4	9.1	3	5.8
70-79	9	5.2	0	0.0	2	13.3	3	13.6	0	0.0	1	3.6	6	6.8	2	4.5	4	7.7
80-89	15	8.6	0	0.0	4	26.7	1	7.7	4	30.8	2	7.1	6	6.8	2	4.5	4	7.7
90-99	14	8.0	1	20.0	0	0.0	2	9.1	1	6.3	0	0.0	10	11.4	4	9.1	6	11.5
100-109	24	13.9	2	40.0	1	6.7	3	22.7	2	12.5	5	17.9	9	10.2	6	13.6	5	9.5
110-119	29	16.7	0	0.0	3	20.0	5	35.7	2	12.5	4	14.3	19	21.7	8	18.2	10	18.2
120-129	19	10.9	0	0.0	2	13.3	3	22.7	2	12.5	3	10.7	16	18.2	9	20.0	7	12.9
130-139	23	13.3	0	0.0	2	13.3	3	22.7	2	12.5	2	7.1	16	18.2	9	20.0	5	9.5
140-149	14	8.0	0	0.0	1	6.7	1	7.7	3	23.1	2	7.1	6	6.8	1	2.3	7	12.9
150-159	8	4.6	0	0.0	1	6.7	4	30.8	3	23.1	3	10.7	3	3.4	0	0.0	3	5.8
160-169	4	2.3	0	0.0	0	0.0	1	7.7	1	6.3	1	3.6	2	2.3	1	2.3	2	3.8
170-179	7	4.0	1	20.0	0	0.0	2	15.4	1	6.3	1	3.6	3	3.4	2	4.5	1	1.9
180-189	1	0.6	0	0.0	0	0.0	0	0.0	0	0.0	1	3.6	0	0.0	0	0.0	0	0.0
190-199	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
200-209	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
210-219	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
220mg/dl以上	115.4		109		127.5		117.2		124.4		121.5		114.9		112.1		97.5	
平均値(mg/dl)	28.4		41.9		22.7		30.3											

第28表 腹囲区分別、血中脂質、血圧、血糖のいずれかのリスクを有する割合(性・年齢階級別)

	腹囲	総数		リスク保有数								
		人数	%	0		1つ		2つ		3つ		
				人数	%	人数	%	人数	%	人数	%	
総数	総数	<85cm(男)/90cm(女)	168	100.0	59	35.1	76	45.2	23	13.7	10	6.0
		≥85cm(男)/90cm(女)	108	100.0	12	11.1	52	48.1	27	25.0	17	15.7
	20-29歳	<85cm(男)/90cm(女)	8	100.0	8	100.0	0	0.0	0	0.0	0	0.0
		≥85cm(男)/90cm(女)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	30-39歳	<85cm(男)/90cm(女)	20	100.0	15	75.0	5	25.0	0	0.0	0	0.0
		≥85cm(男)/90cm(女)	10	100.0	4	40.0	6	60.0	0	0.0	0	0.0
	40-49歳	<85cm(男)/90cm(女)	27	100.0	17	63.0	10	37.0	0	0.0	0	0.0
		≥85cm(男)/90cm(女)	8	100.0	3	37.5	4	50.0	1	12.5	0	0.0
	50-59歳	<85cm(男)/90cm(女)	18	100.0	7	38.9	9	50.0	2	11.1	0	0.0
		≥85cm(男)/90cm(女)	10	100.0	2	20.0	6	60.0	1	10.0	1	10.0
	60-69歳	<85cm(男)/90cm(女)	30	100.0	7	23.3	16	53.3	5	16.7	2	6.7
		≥85cm(男)/90cm(女)	16	100.0	2	12.5	6	37.5	4	25.0	4	25.0
	70歳以上	<85cm(男)/90cm(女)	65	100.0	5	7.7	36	55.4	16	24.6	8	12.3
		≥85cm(男)/90cm(女)	64	100.0	1	1.6	30	46.9	21	32.8	12	18.8
(再掲)40-74歳	<85cm(男)/90cm(女)	103	100.0	32	31.1	55	53.4	12	11.7	4	3.9	
	≥85cm(男)/90cm(女)	55	100.0	7	12.7	27	49.1	13	23.6	8	14.5	
(再掲)65-74歳	<85cm(男)/90cm(女)	38	100.0	2	5.3	26	68.4	6	15.8	4	10.5	
	≥85cm(男)/90cm(女)	30	100.0	1	3.3	14	46.7	10	33.3	5	16.7	
(再掲)75歳以上	<85cm(男)/90cm(女)	37	100.0	4	10.8	16	43.2	11	29.7	6	16.2	
	≥85cm(男)/90cm(女)	43	100.0	1	2.3	19	44.2	14	32.6	9	20.9	
男性	総数	<85cm	38	100.0	13	34.2	14	36.8	6	15.8	5	13.2
		≥85cm	65	100.0	10	15.4	31	47.7	16	24.6	8	12.3
	20-29歳	<85cm	4	100.0	4	100.0	0	0.0	0	0.0	0	0.0
		≥85cm	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	30-39歳	<85cm	6	100.0	4	66.7	2	33.3	0	0.0	0	0.0
		≥85cm	9	100.0	4	44.4	5	55.6	0	0.0	0	0.0
	40-49歳	<85cm	7	100.0	3	42.9	4	57.1	0	0.0	0	0.0
		≥85cm	6	100.0	2	33.3	3	50.0	1	16.7	0	0.0
	50-59歳	<85cm	4	100.0	1	25.0	2	50.0	1	25.0	0	0.0
		≥85cm	8	100.0	2	25.0	5	62.5	0	0.0	1	12.5
	60-69歳	<85cm	6	100.0	1	16.7	2	33.3	2	33.3	1	16.7
		≥85cm	12	100.0	1	8.3	4	33.3	3	25.0	4	33.3
	70歳以上	<85cm	11	100.0	0	0.0	4	36.4	3	27.3	4	36.4
		≥85cm	30	100.0	1	3.3	14	46.7	12	40.0	3	10.0
(再掲)40-74歳	<85cm	21	100.0	5	23.8	11	52.4	4	19.0	1	4.8	
	≥85cm	35	100.0	5	14.3	17	48.6	6	17.1	7	20.0	
(再掲)65-74歳	<85cm	7	100.0	0	0.0	5	71.4	1	14.3	1	14.3	
	≥85cm	17	100.0	1	5.9	7	41.2	5	29.4	4	23.5	
(再掲)75歳以上	<85cm	7	100.0	0	0.0	1	14.3	2	28.6	4	57.1	
	≥85cm	21	100.0	1	4.8	9	42.9	10	47.6	1	4.8	
女性	総数	<90cm	130	100.0	46	35.4	62	47.7	17	13.1	5	3.8
		≥90cm	43	100.0	2	4.7	21	48.8	11	25.6	9	20.9
	20-29歳	<90cm	4	100.0	4	100.0	0	0.0	0	0.0	0	0.0
		≥90cm	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	30-39歳	<90cm	14	100.0	11	78.6	3	21.4	0	0.0	0	0.0
		≥90cm	1	100.0	0	0.0	1	100.0	0	0.0	0	0.0
	40-49歳	<90cm	20	100.0	14	70.0	6	30.0	0	0.0	0	0.0
		≥90cm	2	100.0	1	50.0	1	50.0	0	0.0	0	0.0
	50-59歳	<90cm	14	100.0	6	42.9	7	50.0	1	7.1	0	0.0
		≥90cm	2	100.0	0	0.0	1	50.0	1	50.0	0	0.0
	60-69歳	<90cm	24	100.0	6	25.0	14	58.3	3	12.5	1	4.2
		≥90cm	4	100.0	1	25.0	2	50.0	1	25.0	0	0.0
	70歳以上	<90cm	54	100.0	5	9.3	32	59.3	13	24.1	4	7.4
		≥90cm	34	100.0	0	0.0	16	47.1	9	26.5	9	26.5
(再掲)40-74歳	<90cm	82	100.0	27	32.9	44	53.7	8	9.8	3	3.7	
	≥90cm	20	100.0	2	10.0	10	50.0	7	35.0	1	5.0	
(再掲)65-74歳	<90cm	31	100.0	2	6.5	21	67.7	5	16.1	3	9.7	
	≥90cm	13	100.0	0	0.0	7	53.8	5	38.5	1	7.7	
(再掲)75歳以上	<90cm	30	100.0	4	13.3	15	50.0	9	30.0	2	6.7	
	≥90cm	22	100.0	0	0.0	10	45.5	4	18.2	8	36.4	

注)妊婦除外。リスクの項目の基準は7ページ参照

第29表 腹囲区分別、血中脂質、血圧、血糖のリスク保有状況【すべての組み合わせ①血中脂質②血圧③血糖】(性・年齢階級別)

腹囲	総数		リスク保有数																	
	人数	%	①有②有③有			①有②無③有			①有②有③無			①無②有③無			①無②無③有			①無②無③無		
			人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	168	100.0	10	6.0	15	8.9	6	3.6	2	1.2	11	6.5	61	36.3	4	2.4	59	35.1		
20-29歳	108	100.0	17	15.7	20	18.5	7	6.5	0	0.0	3	2.8	48	44.4	1	0.9	12	11.1		
30-39歳	8	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	8	100.0		
40-49歳	20	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.0	4	20.0	0	0.0	15	75.0		
50-59歳	27	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	5	50.0	0	0.0	4	40.0		
60-69歳	18	100.0	0	0.0	2	11.1	0	0.0	0	0.0	1	5.6	6	33.3	2	11.1	7	38.9		
70歳以上	10	100.0	1	10.0	0	0.0	1	10.0	0	0.0	0	0.0	5	50.0	1	10.0	2	20.0		
(再掲)40-74歳	30	100.0	2	6.7	2	6.7	1	3.3	2	6.7	3	10.0	11	36.7	2	6.7	7	23.3		
(再掲)65-74歳	16	100.0	4	25.0	3	18.8	4	6.3	1	6.3	0	0.0	6	37.5	0	0.0	2	12.5		
(再掲)75歳以上	65	100.0	8	12.3	11	16.9	5	7.7	0	0.0	5	7.7	31	47.7	0	0.0	5	7.7		
総数	64	100.0	12	18.8	16	25.0	5	7.8	0	0.0	2	3.1	43	67.1	0	0.0	1	1.6		
(再掲)40-74歳	99	100.0	4	4.0	9	9.1	2	2.0	0	0.0	8	8.1	43	43.4	0	0.0	32	32.3		
(再掲)65-74歳	55	100.0	8	14.5	11	20.0	2	3.6	0	0.0	1	1.8	25	45.5	1	1.8	7	12.7		
(再掲)75歳以上	38	100.0	4	10.5	6	15.8	0	0.0	0	0.0	4	10.5	21	55.3	1	2.6	2	5.3		
総数	30	100.0	5	16.7	9	30.0	1	3.3	0	0.0	1	3.3	13	43.3	0	0.0	1	3.3		
(再掲)40-74歳	37	100.0	6	16.2	6	16.2	5	13.5	0	0.0	2	5.4	14	37.8	0	0.0	4	10.8		
(再掲)65-74歳	43	100.0	9	20.9	4	9.3	5	11.6	0	0.0	2	4.7	18	41.9	0	0.0	1	2.3		
(再掲)75歳以上	38	100.0	5	13.2	4	10.5	0	0.0	2	5.3	3	7.9	11	28.9	0	0.0	13	34.2		
総数	65	100.0	8	12.3	12	18.5	4	6.2	0	0.0	2	3.1	28	43.1	1	1.5	10	15.4		
20-29歳	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0		
30-39歳	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	1	16.7	0	0.0	4	66.7		
40-49歳	7	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3	3	42.9	0	0.0	3	42.9		
50-59歳	6	100.0	0	0.0	1	16.7	0	0.0	0	0.0	0	0.0	3	50.0	0	0.0	2	33.3		
60-69歳	4	100.0	0	0.0	1	25.0	0	0.0	0	0.0	0	0.0	2	50.0	0	0.0	1	25.0		
70歳以上	8	100.0	1	12.5	0	0.0	0	0.0	0	0.0	0	0.0	4	50.0	1	12.5	2	25.0		
(再掲)40-74歳	12	100.0	4	33.3	2	16.7	1	8.3	0	0.0	1	16.7	4	33.3	0	0.0	1	16.7		
(再掲)65-74歳	11	100.0	4	36.4	3	27.3	0	0.0	0	0.0	0	0.0	4	36.4	0	0.0	0	0.0		
(再掲)75歳以上	30	100.0	3	10.0	9	30.0	3	10.0	0	0.0	1	3.3	13	43.3	0	0.0	1	3.3		
総数	21	100.0	1	4.8	2	9.5	0	0.0	2	9.5	2	9.5	9	42.9	0	0.0	5	23.8		
(再掲)40-74歳	35	100.0	7	20.0	5	14.3	1	2.9	0	0.0	1	14.3	16	45.7	1	2.9	5	14.3		
(再掲)65-74歳	7	100.0	1	14.3	4	57.1	1	14.3	0	0.0	0	0.0	4	57.1	0	0.0	0	0.0		
(再掲)75歳以上	7	100.0	4	57.1	2	28.6	0	0.0	0	0.0	0	0.0	7	100.0	0	0.0	1	14.3		
総数	21	100.0	1	4.8	7	33.3	3	14.3	0	0.0	1	4.8	8	38.1	0	0.0	1	4.8		
20-29歳	130	100.0	5	3.8	11	8.5	6	4.6	0	0.0	8	6.2	50	38.5	4	3.1	46	35.4		
30-39歳	43	100.0	9	20.9	8	18.6	3	7.0	0	0.0	1	2.3	20	46.5	0	0.0	2	4.7		
40-49歳	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0		
50-59歳	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
60-69歳	14	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	21.4	0	0.0	11	78.6		
70歳以上	20	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6	30.0	0	0.0	14	70.0		
(再掲)40-74歳	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	0	0.0	1	50.0		
(再掲)65-74歳	14	100.0	0	0.0	1	7.1	0	0.0	0	0.0	1	7.1	4	28.6	2	14.3	6	42.9		
(再掲)75歳以上	2	100.0	0	0.0	0	0.0	1	50.0	0	0.0	0	0.0	1	50.0	0	0.0	0	0.0		
総数	24	100.0	1	4.2	2	8.3	1	4.2	0	0.0	2	8.3	10	41.7	2	8.3	6	25.0		
20-29歳	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	50.0	0	0.0	1	25.0		
30-39歳	54	100.0	4	7.4	8	14.8	5	9.3	0	0.0	5	9.3	27	50.0	0	0.0	5	9.3		
40-49歳	34	100.0	9	26.5	7	20.6	2	5.9	0	0.0	1	2.9	15	44.1	0	0.0	0	0.0		
50-59歳	78	100.0	3	3.8	7	9.0	1	1.3	0	0.0	6	7.7	34	43.6	0	0.0	27	34.6		
60-69歳	20	100.0	1	5.0	6	30.0	1	5.0	0	0.0	1	5.0	9	45.0	0	0.0	2	10.0		
70歳以上	31	100.0	3	9.7	5	16.1	0	0.0	0	0.0	3	9.7	17	54.8	1	3.2	2	6.5		
(再掲)40-74歳	13	100.0	1	7.7	5	38.5	7	53.8	0	0.0	1	7.7	6	46.2	0	0.0	0	0.0		
(再掲)65-74歳	30	100.0	2	6.7	4	13.3	5	16.7	0	0.0	2	6.7	13	43.3	0	0.0	4	13.3		
(再掲)75歳以上	22	100.0	8	36.4	2	9.1	2	9.1	0	0.0	0	0.0	10	45.5	0	0.0	0	0.0		

注)妊婦除外。リスクの項目の基準は7ページ参照

第30表 メタボリックシンドロームの状況 割合(性・年齢階級別)

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲)40-74歳		(再掲)65-74歳		(再掲)75歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	276	100.0	8	100.0	30	100.0	35	100.0	28	100.0	46	100.0	129	100.0	158	100.0	68	100.0	80	100.0
メタボリックシンドローム が強く疑われる者	44	15.9	0	0.0	0	0.0	1	2.9	2	7.1	8	17.4	33	25.6	21	13.3	15	22.1	23	28.8
メタボリックシンドローム の予備群と考えられる者	64	23.2	0	0.0	10	33.3	7	20.0	8	28.6	8	17.4	31	24.0	34	21.5	15	22.1	20	25.0
上記以外の者	168	60.9	8	100.0	20	66.7	27	77.1	18	64.3	30	65.2	65	50.4	103	65.2	38	55.9	37	46.3
総数	103	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	41	100.0	56	100.0	24	100.0	28	100.0
メタボリックシンドローム が強く疑われる者	24	23.3	0	0.0	0	0.0	1	7.7	1	8.3	7	38.9	15	36.6	13	23.2	9	37.5	11	39.3
メタボリックシンドローム の予備群と考えられる者	41	39.8	0	0.0	9	60.0	5	38.5	7	58.3	5	27.8	15	36.6	22	39.3	8	33.3	10	35.7
上記以外の者	38	36.9	4	100.0	6	40.0	7	53.8	4	33.3	6	33.3	11	26.8	21	37.5	7	29.2	7	25.0
総数	173	100.0	4	100.0	15	100.0	22	100.0	16	100.0	28	100.0	88	100.0	102	100.0	44	100.0	52	100.0
メタボリックシンドローム が強く疑われる者	20	11.6	0	0.0	0	0.0	0	0.0	1	6.3	1	3.6	18	20.5	8	7.8	6	13.6	12	23.1
メタボリックシンドローム の予備群と考えられる者	23	13.3	0	0.0	1	6.7	2	9.1	1	6.3	3	10.7	16	18.2	12	11.8	7	15.9	10	19.2
上記以外の者	130	75.1	4	100.0	14	93.3	20	90.9	14	87.5	24	85.7	54	61.4	82	80.4	31	70.5	30	57.7

第31表 糖尿病該当者・予備群の割合(20歳以上、性・年齢階級別)

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 40-74歳		(再掲) 65-74歳		(再掲) 75歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	277	100.0	9	100.0	30	100.0	35	100.0	28	100.0	46	100.0	129	100.0	158	100.0	68	100.0	80	100.0
ヘモグロビンA1c6.5以上または服薬有り	26	9.4	0	0.0	0	0.0	0	0.0	2	7.1	7	15.2	17	13.2	12	7.6	6	8.8	14	17.5
6.0以上~6.4以下	21	7.6	0	0.0	0	0.0	0	0.0	3	10.7	5	10.9	13	10.1	10	6.3	5	7.4	11	13.8
5.6以上~5.9以下	54	19.5	0	0.0	2	6.7	2	5.7	4	14.3	7	15.2	39	30.2	32	20.3	20	29.4	20	25.0
5.5以下	176	63.5	9	100.0	28	93.3	33	94.3	19	67.9	27	58.7	60	46.5	104	65.8	37	54.4	35	43.8
総数	103	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	41	100.0	56	100.0	24	100.0	28	100.0
ヘモグロビンA1c6.5以上または服薬有り	13	12.6	0	0.0	0	0.0	0	0.0	1	8.3	6	33.3	6	14.6	8	14.3	4	16.7	5	17.9
6.0以上~6.4以下	7	6.8	0	0.0	0	0.0	0	0.0	1	8.3	2	11.1	4	9.8	4	7.1	2	8.3	3	10.7
5.6以上~5.9以下	19	18.4	0	0.0	2	13.3	1	7.7	2	16.7	2	11.1	12	29.3	8	14.3	4	16.7	9	32.1
5.5以下	64	62.1	4	100.0	13	86.7	12	92.3	8	66.7	8	44.4	19	46.3	36	64.3	14	58.3	11	39.3
総数	174	100.0	5	100.0	15	100.0	22	100.0	16	100.0	28	100.0	88	100.0	102	100.0	44	100.0	52	100.0
ヘモグロビンA1c6.5以上または服薬有り	13	7.5	0	0.0	0	0.0	0	0.0	1	6.3	1	3.6	11	12.5	4	3.9	2	4.5	9	17.3
6.0以上~6.4以下	14	8.0	0	0.0	0	0.0	0	0.0	2	12.5	3	10.7	9	10.2	6	5.9	3	6.8	8	15.4
5.6以上~5.9以下	35	20.1	0	0.0	0	0.0	1	4.5	2	12.5	5	17.9	27	30.7	24	23.5	16	36.4	11	21.2
5.5以下	112	64.4	5	100.0	15	100.0	21	95.5	11	68.8	19	67.9	41	46.6	68	66.7	23	52.3	24	46.2

第32表 高血圧該当者・予備群の割合(20歳以上、性・年齢階級別)

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲)40-74歳		(再掲)65-74歳		(再掲)75歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	282	100.0	9	100.0	30	100.0	35	100.0	28	100.0	48	100.0	132	100.0	161	100.0	71	100.0	82	100.0
SBP140以上またはDBP90以上、または服薬有り	162	57.4	0	0.0	6	20.0	10	28.6	12	42.9	25	52.1	109	82.6	87	54.0	54	76.1	69	84.1
140>SBP $\geq$ 130または90>DBP $\geq$ 85mmHg	27	9.6	0	0.0	4	13.3	4	11.4	3	10.7	6	12.5	10	7.6	18	11.2	7	9.9	5	6.1
SBP130未満かつDBP85未満	93	33.0	9	100.0	20	66.7	21	60.0	13	46.4	17	35.4	13	9.8	56	34.8	10	14.1	8	9.8
総数	106	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	44	100.0	57	100.0	25	100.0	30	100.0
SBP140以上またはDBP90以上、または服薬有り	70	66.0	0	0.0	4	26.7	5	38.5	8	66.7	13	72.2	40	90.9	39	68.4	22	88.0	27	90.0
140>SBP $\geq$ 130または90>DBP $\geq$ 85mmHg	6	5.7	0	0.0	2	13.3	2	15.4	0	0.0	0	0.0	2	4.5	3	5.3	1	4.0	1	3.3
SBP130未満かつDBP85未満	30	28.3	4	100.0	9	60.0	6	46.2	4	33.3	5	27.8	2	4.5	15	26.3	2	8.0	2	6.7
総数	176	100.0	5	100.0	15	100.0	22	100.0	16	100.0	30	100.0	88	100.0	104	100.0	46	100.0	52	100.0
SBP140以上またはDBP90以上、または服薬有り	92	52.3	0	0.0	2	13.3	5	22.7	4	25.0	12	40.0	69	78.4	48	46.2	32	69.6	42	80.8
140>SBP $\geq$ 130または90>DBP $\geq$ 85mmHg	21	11.9	0	0.0	2	13.3	2	9.1	3	18.8	6	20.0	8	9.1	15	14.4	6	13.0	4	7.7
SBP130未満かつDBP85未満	63	35.8	5	100.0	11	73.3	15	68.2	9	56.3	12	40.0	11	12.5	41	39.4	8	17.4	6	11.5

第33表 脂質異常症該当者・予備群の割合(20歳以上、性・年齢階級別)

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲)40-74歳		(再掲)65-74歳		(再掲)75歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	277	100.0	9	100.0	30	100.0	35	100.0	28	100.0	46	100.0	129	100.0	158	100.0	68	100.0	80	100.0
HDL-コレステロール40mg/dl未満または服薬有り	78	28.2	0	0.0	2	6.7	2	5.7	4	14.3	16	34.8	54	41.9	43	27.2	29	42.6	33	41.3
上記以外	199	71.8	9	100.0	28	93.3	33	94.3	24	85.7	30	65.2	75	58.1	115	72.8	39	57.4	47	58.8
総数	103	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	41	100.0	56	100.0	24	100.0	28	100.0
HDL-コレステロール40mg/dl未満または服薬有り	36	35.0	0	0.0	2	13.3	2	15.4	2	16.7	10	55.6	20	48.8	19	33.9	11	45.8	15	53.6
上記以外	67	65.0	4	100.0	13	86.7	11	84.6	10	83.3	8	44.4	21	51.2	37	66.1	13	54.2	13	46.4
総数	174	100.0	5	100.0	15	100.0	22	100.0	16	100.0	28	100.0	88	100.0	102	100.0	44	100.0	52	100.0
HDL-コレステロール40mg/dl未満または服薬有り	42	24.1	0	0.0	0	0.0	0	0.0	2	12.5	6	21.4	34	38.6	24	23.5	18	40.9	18	34.6
上記以外	132	75.9	5	100.0	15	100.0	22	100.0	14	87.5	22	78.6	54	61.4	78	76.5	26	59.1	34	65.4

第34表 運動習慣の状況(性・年齢階級別)

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲)40-74歳	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	282	100.0	9	100.0	30	100.0	35	100.0	28	100.0	48	100.0	132	100.0	161	100.0
運動習慣無 (運動禁止有り)	7	2.5	0	0.0	0	0.0	0	0.0	0	0.0	1	2.1	6	4.5	2	1.2
運動習慣無 (運動禁止無し)	177	62.8	4	44.4	21	70.0	29	82.9	24	85.7	31	64.6	68	51.5	111	68.9
運動習慣有	98	34.8	5	55.6	9	30.0	6	17.1	4	14.3	16	33.3	58	43.9	48	29.8
総数	106	100.0	4	100.0	15	100.0	13	100.0	12	100.0	18	100.0	44	100.0	57	100.0
運動習慣無 (運動禁止有り)	2	1.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.5	0	0.0
運動習慣無 (運動禁止無し)	59	55.7	1	25.0	10	66.7	11	84.6	9	75.0	12	66.7	16	36.4	37	64.9
運動習慣有	45	42.5	3	75.0	5	33.3	2	15.4	3	25.0	6	33.3	26	59.1	20	35.1
総数	176	100.0	5	100.0	15	100.0	22	100.0	16	100.0	30	100.0	88	100.0	104	100.0
運動習慣無 (運動禁止有り)	5	2.8	0	0.0	0	0.0	0	0.0	0	0.0	1	3.3	4	4.5	2	1.9
運動習慣無 (運動禁止無し)	118	67.0	3	60.0	11	73.3	18	81.8	15	93.8	19	63.3	52	59.1	74	71.2
運動習慣有	53	30.1	2	40.0	4	26.7	4	18.2	1	6.3	10	33.3	32	36.4	28	26.9

第35表 運動習慣の状況(経済地帯別)

	総数		都市・都市近郊		平地農村		農山村		漁村	
	人数	%	人数	%	人数	%	人数	%	人数	%
総数	282	100.0	145	100.0	43	100.0	62	100.0	32	100.0
運動習慣無 (運動禁止有り)	7	2.5	6	4.1	0	0.0	1	1.6	0	0.0
運動習慣無 (運動禁止無し)	177	62.8	80	55.2	32	74.4	40	64.5	25	78.1
運動習慣有	98	34.8	59	40.7	11	25.6	21	33.9	7	21.9

第36表 運動習慣の状況別、歩行数の分布(20歳以上、性・年齢階級別)

	年齢(歳)		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲)65-74歳		(再掲)75歳以上		
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	
総数	総数	259	100.0	10	100.0	30	100.0	32	100.0	28	100.0	45	100.0	114	100.0	63	100.0	69	100.0
	2,000歩未満	32	12.4	0	0.0	0	0.0	2	6.3	3	10.7	3	6.7	24	21.1	8	12.7	17	24.6
	2,000～4,000歩未満	51	19.7	1	10.0	4	13.3	4	12.5	5	17.9	9	20.0	28	24.6	12	19.0	20	29.0
	4,000～6,000歩未満	64	24.7	4	40.0	9	30.0	5	15.6	8	28.6	13	28.9	25	21.9	17	27.0	13	18.8
	6,000～8,000歩未満	52	20.1	3	30.0	6	20.0	11	34.4	5	17.9	11	24.4	16	14.0	12	19.0	9	13.0
	8,000～10,000歩未満	33	12.7	1	10.0	3	10.0	6	18.8	4	14.3	7	15.6	12	10.5	8	12.7	7	10.1
	10,000歩以上	27	10.4	1	10.0	8	26.7	4	12.5	3	10.7	2	4.4	9	7.9	6	9.5	3	4.3
	9,200歩(男)/8,300歩(女)以上	45	17.4	1	10.0	11	36.7	6	18.8	7	25.0	8	17.8	12	10.5	10	15.9	5	7.2
	総数	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	5	100.0	2	100.0	4	100.0
	2,000歩未満	4	66.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	80.0	0	0.0	4	100.0
2,000～4,000歩未満	1	16.7	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	1	50.0	0	0.0	
4,000～6,000歩未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
6,000～8,000歩未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
8,000～10,000歩未満	1	16.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	1	50.0	0	0.0	
10,000歩以上	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
9,200歩(男)/8,300歩(女)以上	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
総数	163	100.0	5	100.0	21	100.0	26	100.0	24	100.0	30	100.0	57	100.0	32	100.0	34	100.0	
2,000歩未満	24	14.7	0	0.0	0	0.0	2	7.7	3	12.5	3	10.0	16	28.1	6	18.8	11	32.4	
2,000～4,000歩未満	41	25.2	1	20.0	4	19.0	4	15.4	3	12.5	8	26.7	21	36.8	11	34.4	13	38.2	
4,000～6,000歩未満	42	25.8	2	40.0	7	33.3	3	11.5	8	33.3	8	26.7	14	24.6	9	28.1	7	20.6	
6,000～8,000歩未満	30	18.4	1	20.0	4	19.0	9	34.6	5	20.8	6	20.0	5	8.8	3	9.4	3	8.8	
8,000～10,000歩未満	13	8.0	0	0.0	3	14.3	4	15.4	2	8.3	3	10.0	1	1.8	3	9.4	0	0.0	
10,000歩以上	13	8.0	1	20.0	3	14.3	4	15.4	3	12.5	2	6.7	0	0.0	0	0.0	0	0.0	
9,200歩(男)/8,300歩(女)以上	25	15.3	1	20.0	6	28.6	6	23.1	4	16.7	8	26.7	0	0.0	0	0.0	0	0.0	
総数	90	100.0	5	100.0	9	100.0	6	100.0	4	100.0	14	100.0	52	100.0	31	100.0	31	100.0	
2,000歩未満	4	4.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	7.7	2	6.5	2	6.5	
2,000～4,000歩未満	9	10.0	0	0.0	0	0.0	0	0.0	2	50.0	0	0.0	7	13.5	0	0.0	7	22.6	
4,000～6,000歩未満	22	24.4	2	40.0	2	22.2	2	33.3	0	0.0	5	35.7	11	21.2	8	25.8	6	19.4	
6,000～8,000歩未満	22	24.4	2	40.0	2	22.2	2	33.3	0	0.0	5	35.7	11	21.2	9	29.0	6	19.4	
8,000～10,000歩未満	19	21.1	1	20.0	0	0.0	2	33.3	2	50.0	4	28.6	10	19.2	6	19.4	7	22.6	
10,000歩以上	14	15.6	0	0.0	5	55.6	0	0.0	0	0.0	0	0.0	9	17.3	6	19.4	3	9.7	
9,200歩(男)/8,300歩(女)以上	20	22.2	0	0.0	5	55.6	0	0.0	3	75.0	0	0.0	12	23.1	10	32.3	5	16.1	

注)歩数計を朝起きてから夜寝るまで、ほぼずっと着けていた方のみ抽出

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲)65-74歳		(再掲)75歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
	総数																	
総数	99	100.0	4	100.0	15	100.0	12	100.0	12	100.0	17	100.0	39	100.0	23	100.0	26	100.0
2,000歩未満	12	12.1	0	0.0	0	0.0	2	16.7	2	16.7	1	5.9	7	17.9	2	8.7	5	19.2
2,000～4,000歩未満	11	11.1	0	0.0	2	13.3	1	8.3	2	16.7	3	17.6	3	7.7	1	4.3	3	11.5
4,000～6,000歩未満	27	27.3	0	0.0	4	26.7	3	25.0	2	16.7	6	35.3	12	30.8	8	34.8	7	26.9
6,000～8,000歩未満	23	23.2	3	75.0	3	20.0	3	25.0	3	25.0	4	23.5	7	17.9	5	21.7	5	19.2
8,000～10,000歩未満	15	15.2	1	25.0	2	13.3	2	16.7	1	8.3	3	17.6	6	15.4	4	17.4	5	19.2
10,000歩以上	11	11.1	0	0.0	4	26.7	1	8.3	2	16.7	0	0.0	4	10.3	3	13.0	1	3.8
(再掲)9,200歩以上	15	15.2	0	0.0	6	40.0	1	8.3	2	16.7	0	0.0	6	15.4	5	21.7	3	11.5
総数	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0	0	0.0	2	100.0
2,000歩未満	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0	0	0.0	2	100.0
2,000～4,000歩未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
4,000～6,000歩未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
6,000～8,000歩未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
8,000～10,000歩未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
10,000歩以上	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
(再掲)9,200歩以上	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
総数	54	100.0	1	100.0	10	100.0	10	100.0	9	100.0	11	100.0	13	100.0	8	100.0	9	100.0
2,000歩未満	9	16.7	0	0.0	0	0.0	2	20.0	2	22.2	1	9.1	4	30.8	1	12.5	3	33.3
2,000～4,000歩未満	8	14.8	0	0.0	2	20.0	1	10.0	0	0.0	3	27.3	2	15.4	1	12.5	2	22.2
4,000～6,000歩未満	17	31.5	0	0.0	3	30.0	2	20.0	2	22.2	4	36.4	6	46.2	4	50.0	3	33.3
6,000～8,000歩未満	12	22.2	1	100.0	2	20.0	3	30.0	3	33.3	2	18.2	1	7.7	1	12.5	1	11.1
8,000～10,000歩未満	4	7.4	0	0.0	2	20.0	1	10.0	0	0.0	1	9.1	0	0.0	1	12.5	0	0.0
10,000歩以上	4	7.4	0	0.0	1	10.0	1	10.0	2	22.2	0	0.0	0	0.0	0	0.0	0	0.0
(再掲)9,200歩以上	6	11.1	0	0.0	3	30.0	1	10.0	2	22.2	0	0.0	0	0.0	0	0.0	0	0.0
総数	43	100.0	3	100.0	5	100.0	2	100.0	3	100.0	6	100.0	24	100.0	15	100.0	15	100.0
2,000歩未満	1	2.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.2	1	6.7	0	0.0
2,000～4,000歩未満	3	7.0	0	0.0	0	0.0	0	0.0	2	66.7	0	0.0	1	4.2	0	0.0	1	6.7
4,000～6,000歩未満	10	23.3	0	0.0	1	20.0	1	50.0	0	0.0	2	33.3	6	25.0	4	26.7	4	26.7
6,000～8,000歩未満	11	25.6	2	66.7	1	20.0	0	0.0	0	0.0	2	33.3	6	25.0	4	26.7	4	26.7
8,000～10,000歩未満	11	25.6	1	33.3	0	0.0	1	50.0	1	33.3	2	33.3	6	25.0	3	20.0	5	33.3
10,000歩以上	7	16.3	0	0.0	3	60.0	0	0.0	0	0.0	0	0.0	4	16.7	3	20.0	1	6.7
(再掲)9,200歩以上	9	20.9	0	0.0	3	60.0	0	0.0	0	0.0	0	0.0	6	25.0	5	33.3	3	20.0

注)歩数計を朝起きてから夜寝るまで、ほぼずっと着けていた方のみ抽出

年齢(歳)	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲)65-74歳		(再掲)75歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲)65-74歳		(再掲)75歳以上	
総数	158	100.0	4	100.0	15	100.0	20	100.0	16	100.0	28	100.0	75	100.0	42	100.0	43	100.0
2,000歩未満	20	12.7	0	0.0	0	0.0	0	0.0	1	6.3	2	7.1	17	22.7	6	14.3	12	27.9
2,000～4,000歩未満	40	25.3	1	25.0	2	13.3	3	15.0	3	18.8	6	21.4	25	33.3	11	26.2	17	39.5
4,000～6,000歩未満	35	22.2	2	50.0	5	33.3	2	10.0	6	37.5	7	25.0	13	17.3	9	21.4	6	14.0
6,000～8,000歩未満	29	18.4	0	0.0	3	20.0	8	40.0	2	12.5	7	25.0	9	12.0	7	16.7	4	9.3
8,000～10,000歩未満	18	11.4	0	0.0	1	6.7	4	20.0	3	18.8	4	14.3	6	8.0	6	14.3	2	4.7
10,000歩以上	16	10.1	1	25.0	4	26.7	3	15.0	1	6.3	2	7.1	5	6.7	3	7.1	2	4.7
(再掲)8,300歩以上	22	13.9	1	25.0	5	33.3	5	25.0	2	12.5	3	10.7	6	8.0	5	11.9	2	4.7
総数	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	3	100.0	2	100.0	2	100.0
2,000歩未満	2	50.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	66.7	0	0.0	2	100.0
2,000～4,000歩未満	1	25.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	1	50.0	0	0.0
4,000～6,000歩未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
6,000～8,000歩未満	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
8,000～10,000歩未満	1	25.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3	1	50.0	0	0.0
10,000歩以上	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
(再掲)8,300歩以上	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
総数	107	100.0	2	100.0	11	100.0	16	100.0	15	100.0	19	100.0	44	100.0	24	100.0	25	100.0
2,000歩未満	15	14.0	0	0.0	0	0.0	0	0.0	1	6.7	2	10.5	12	27.3	5	20.8	8	32.0
2,000～4,000歩未満	33	30.8	1	50.0	2	18.2	3	18.8	3	20.0	5	26.3	19	43.2	10	41.7	11	44.0
4,000～6,000歩未満	23	21.5	0	0.0	4	36.4	1	6.3	6	40.0	4	21.1	8	18.2	5	20.8	4	16.0
6,000～8,000歩未満	18	16.8	0	0.0	2	18.2	6	37.5	2	13.3	4	21.1	4	9.1	2	8.3	2	8.0
8,000～10,000歩未満	9	8.4	0	0.0	1	9.1	3	18.8	2	13.3	2	10.5	1	2.3	2	8.3	0	0.0
10,000歩以上	9	8.4	1	50.0	2	18.2	3	18.8	1	6.7	2	10.5	0	0.0	0	0.0	0	0.0
(再掲)8,300歩以上	14	13.1	1	50.0	3	27.3	5	31.3	2	13.3	3	15.8	0	0.0	0	0.0	0	0.0
総数	47	100.0	2	100.0	4	100.0	4	100.0	1	100.0	8	100.0	28	100.0	16	100.0	16	100.0
2,000歩未満	3	6.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	10.7	1	6.3	2	12.5
2,000～4,000歩未満	6	12.8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6	21.4	0	0.0	6	37.5
4,000～6,000歩未満	12	25.5	2	100.0	1	25.0	1	25.0	0	0.0	3	37.5	5	17.9	4	25.0	2	12.5
6,000～8,000歩未満	11	23.4	0	0.0	1	25.0	2	50.0	0	0.0	3	37.5	5	17.9	5	31.3	2	12.5
8,000～10,000歩未満	8	17.0	0	0.0	0	0.0	1	25.0	1	100.0	2	25.0	4	14.3	3	18.8	2	12.5
10,000歩以上	7	14.9	0	0.0	2	50.0	0	0.0	0	0.0	0	0.0	5	17.9	3	18.8	2	12.5
(再掲)8,300歩以上	8	17.0	0	0.0	2	50.0	0	0.0	0	0.0	0	0.0	6	21.4	5	31.3	2	12.5

注)歩数計を朝起きてから夜寝るまで、ほぼずっと着けていた方のみ抽出

第37表 歩行数の平均値及び標準偏差(性・年齢階級別)

		人数	平均歩行数	標準偏差
総数	総数	656	5,347	3,728
	20-29歳	32	6,178	3,269
	30-39歳	66	6,660	3,452
	40-49歳	93	6,423	3,713
	50-59歳	100	5,775	3,581
	60-69歳	129	5,398	4,238
	70歳以上	236	4,234	3,287
	(再掲)65-74歳	153	5,255	4,237
	(再掲)75歳以上	149	3,712	3,033
男性	総数	283	5,652	4,191
	20-29歳	16	6,390	2,537
	30-39歳	36	6,939	3,630
	40-49歳	43	6,304	4,052
	50-59歳	39	5,795	4,062
	60-69歳	57	5,860	5,514
	70歳以上	92	4,525	3,462
	(再掲)65-74歳	59	5,585	5,573
	(再掲)75歳以上	61	4,225	3,235
女性	総数	373	5,116	3,315
	20-29歳	16	5,966	3,853
	30-39歳	30	6,326	3,192
	40-49歳	50	6,525	3,392
	50-59歳	61	5,762	3,237
	60-69歳	72	5,032	2,793
	70歳以上	144	4,048	3,157
	(再掲)65-74歳	94	5,047	3,100
	(再掲)75歳以上	88	3,356	2,830

注)歩数計を朝起きてから夜寝るまで、ほぼずっと着けていた方のみ抽出

第38表 歩行数の分布(性・年齢級別)

	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲)65-74歳		(再掲)75歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数	656	100.0	32	100.0	66	100.0	93	100.0	100	100.0	129	100.0	236	100.0	153	100.0	149	100.0
2,000歩未満	101	15.4	3	9.4	2	3.0	8	8.6	10	10.0	15	11.6	63	26.7	24	15.7	45	30.2
2,000～4,000歩未満	163	24.8	7	21.9	12	18.2	19	20.4	23	23.0	36	27.9	66	28.0	37	24.2	50	33.6
4,000～6,000歩未満	150	22.9	3	9.4	20	30.3	20	21.5	29	29.0	31	24.0	47	19.9	41	26.8	23	15.4
6,000～8,000歩未満	113	17.2	10	31.3	14	21.2	16	17.2	19	19.0	26	20.2	28	11.9	24	15.7	16	10.7
8,000～10,000歩未満	66	10.1	5	15.6	5	7.6	16	17.2	8	8.0	13	10.1	19	8.1	16	10.5	10	6.7
10,000歩以上	63	9.6	4	12.5	13	19.7	14	15.1	11	11.0	8	6.2	13	5.5	11	7.2	5	3.4
総数	283	100.0	16	100.0	36	100.0	43	100.0	39	100.0	57	100.0	92	100.0	59	100.0	61	100.0
2,000歩未満	44	15.5	1	6.3	2	5.6	4	9.3	6	15.4	6	10.5	25	27.2	10	16.9	17	27.9
2,000～4,000歩未満	61	21.6	3	18.8	5	13.9	9	20.9	9	23.1	16	28.1	19	20.7	13	22.0	16	26.2
4,000～6,000歩未満	64	22.6	1	6.3	10	27.8	13	30.2	7	17.9	12	21.1	21	22.8	16	27.1	11	18.0
6,000～8,000歩未満	51	18.0	6	37.5	7	19.4	5	11.6	9	23.1	12	21.1	12	13.0	8	13.6	8	13.1
8,000～10,000歩未満	32	11.3	4	25.0	4	11.1	4	9.3	3	7.7	7	12.3	10	10.9	7	11.9	7	11.5
10,000歩以上	31	11.0	1	6.3	8	22.2	8	18.6	5	12.8	4	7.0	5	5.4	5	8.5	2	3.3
総数	373	100.0	16	100.0	30	100.0	50	100.0	61	100.0	72	100.0	144	100.0	94	100.0	88	100.0
2,000歩未満	57	15.3	2	12.5	0	0.0	4	8.0	4	6.6	9	12.5	38	26.4	14	14.9	28	31.8
2,000～4,000歩未満	102	27.3	4	25.0	7	23.3	10	20.0	14	23.0	20	27.8	47	32.6	24	25.5	34	38.6
4,000～6,000歩未満	86	23.1	2	12.5	10	33.3	7	14.0	22	36.1	19	26.4	26	18.1	25	26.6	12	13.6
6,000～8,000歩未満	62	16.6	4	25.0	7	23.3	11	22.0	10	16.4	14	19.4	16	11.1	16	17.0	8	9.1
8,000～10,000歩未満	34	9.1	1	6.3	1	3.3	12	24.0	5	8.2	6	8.3	9	6.3	9	9.6	3	3.4
10,000歩以上	32	8.6	3	18.8	5	16.7	6	12.0	6	9.8	4	5.6	8	5.6	6	6.4	3	3.4

注)歩数計を朝起きてから夜寝るまで、ほぼずっと着けていた方のみ抽出

第39表 歩行数の状況(経済地帯別)

		総数	都市・ 都市近郊	平地農村	農山村	漁村
総数	人数	656	349	84	140	83
	平均歩行数	5,347	5,325	6,040	5,460	4,548
	標準偏差	3,728	4,008	3,946	3,174	2,891
男性	人数	283	146	34	66	37
	平均歩行数	5,652	5,486	6,462	5,916	5,091
	標準偏差	4,191	4,600	4,508	3,462	3,098
女性	人数	373	203	50	74	46
	平均歩行数	5,116	5,210	5,753	5,053	4,111
	標準偏差	3,315	3,517	3,484	2,831	2,634

注)歩数計を朝起きてから夜寝るまで、ほぼずっと着けていた方のみ抽出

第40表 歩行数の状況(運動習慣別)

		総数	運動習慣無 (運動禁止有り)	運動習慣無 (運動禁止無し)	運動習慣有
総数	人数	258	7	161	90
	平均歩行数	5,827	2,537	5,223	7,161
	標準偏差	3,619	2,648	3,477	3,480
男性	人数	99	2	54	43
	平均歩行数	6,349	1,301	5,524	7,619
	標準偏差	3,846	285	3,932	3,315
女性	人数	159	5	107	47
	平均歩行数	5,502	3,034	5,072	6,742
	標準偏差	3,431	2,988	3,212	3,573

注)歩数計を朝起きてから夜寝るまで、ほぼずっと着けていた方のみ抽出

第41表 歩行数区分別HDL-コレステロール値

		総数		割合(人)	
		人数	%	40mg/dl未満	40mg/dl以上
総数	総数	253	100.0	17	236
	2,000歩未満	33	13.0	3	30
	2,000～4,000歩未満	51	20.2	9	42
	4,000～6,000歩未満	61	24.1	2	59
	6,000～8,000歩未満	50	19.8	1	49
	8,000～10,000歩未満	31	12.3	2	29
	10,000歩以上	27	10.7	0	27
	男性	総数	96	100.0	12
男性	2,000歩未満	12	12.5	3	9
	2,000～4,000歩未満	11	11.5	4	7
	4,000～6,000歩未満	27	28.1	2	25
	6,000～8,000歩未満	21	21.9	1	20
	8,000～10,000歩未満	14	14.6	2	12
	10,000歩以上	11	11.5	0	11
	女性	総数	157	100.0	5
女性	2,000歩未満	21	13.4	0	21
	2,000～4,000歩未満	40	25.5	5	35
	4,000～6,000歩未満	34	21.7	0	34
	6,000～8,000歩未満	29	18.5	0	29
	8,000～10,000歩未満	17	10.8	0	17
	10,000歩以上	16	10.2	0	16

注)歩数計を朝起きてから夜寝るまで、ほぼずっと着けていた方のみ抽出